

**VITAL
STATISTICS
STATE OF
MISSOURI**



1951

JEFFERSON CITY, MISSOURI

The Department of Public Health and Welfare of Missouri

DIVISION OF HEALTH

Bureau of Vital Statistics

This report is the third in the new series and in the new format. As indicated in the 1949 report, these tables are being published at this late date so as to keep a continuous comparative series available for the analysts of the future.

Each year efforts are expended to improve both the quantity and the quality of vital records reporting. The success of this program is measured by the gradual elimination of the small registration districts, the increased use of vital records in local health activities, the increase in demand for data from social agencies, schools of public health and sociology departments of universities, the greater quantity of promptly filed vital records, and the increasing number of records carrying full information for every item.

Whereas reporting of live births and deaths is generally quite complete (about 98% for each), such is certainly not the case for stillbirths, marriages and divorces. Stillbirths (children born dead after 20th week of gestation) are probably about 50% filed; marriages and divorces about 85% filed.

The detailed comparative summary similar to that in the 1950 report is prepared again on a biennial basis. It will appear in the 1952 report.

August 1954

INDEX TO TABLES

Table A. Total Population, Recorded Births and Deaths by Years: 1911-1951

Table B. Resident Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1951

Table C. Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties with Rates: 1951

Table D. Stillbirths, Recorded and Resident, by Period of Gestation: 1951

Table E. Resident Births, Urban and Rural, by Age of Mother; Sex and Color of Child: 1951

Table F. Selected Resident Live Birth Statistics with Percentages. Three Missouri Areas: 1951

Table G. Resident Infant Deaths by Age, Cause, and Color, with Rates by Cause and Color: 1951

Table H. Resident Maternal Deaths by Cause and Color with Rates: 1951

Table I. Ten Leading Causes of Death with Rates: 1951

Table J. Recorded Accidental Deaths by Type and Age: 1951

Table K. Accidental Deaths by Type and County or City of Occurrence: 1951

Table L. Resident Deaths by Age Groups, Sex, Color, and Important Causes, for the State: 1951

Table M. Recorded Deaths from Communicable Diseases by Cause and County: 1951

Table N. Reported Cases for 25 Selected Diseases by County and City: 1951

Table O. Reported Cases for 22 Selected Diseases by Month of Receipt of Report: 1951

Table AA. Marriages by Year of Birth; Groom Versus Bride: 1951

Table BB. Marriages by Marital Status; Groom versus Bride: 1951

Table CC. Marriages by Marital Status and Selected Age Groups; Grooms and Brides: 1951

Table DD. Marriages by Color of Groom: 1951

Table EE. Divorces and Annulments by Number of Children Affected: 1951

Table FF. Divorces and Annulments: Complainant versus to Whom Decree Granted: 1951

Table GG. Divorces and Annulments: Complainant versus Disposition of Children: 1951

INDEX TO TABLES (Continued)

Table HH. Divorces and Annulments by Number of Cases Contested: 1951
Table JJ. Divorces and Annulments by Alimony and Settlements: 1951
Table KK. Divorces by Cause or Grounds Alleged: 1951
Table LL. Divorces and Annulments: Sex and Color; Husband versus Wife: 1951
Table MM. Divorces and Annulments by State of Marriage: 1951
Table NN. Divorces and Annulments: Number of Previous Marriages; Husband versus Wife: 1951
Table PP. Divorces by Age of Husband and of Wife, and by Number of Times Married: 1951

Births by Attendant and Deaths from Important Causes with Rates
Missouri Areas, Resident Data: 1951

	Page
State Total.....	1
Urban Total.....	1
Rural Total.....	1
Counties: Adair to Wright.....	2-30
Cities of 10,000 population or more.....	30-37

TABLE A

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911 - TO DATE.

Year	Estimated Mid-Year Population	BIRTHS		DEATHS		Excess Births over Deaths
		Number	Rate	Number	Rate	
1911	3,307,116	74,130	22.4	43,479	13.1	30,651
1912	3,318,520	75,452	22.7	42,139	12.7	33,313
1913	3,329,925	75,231	22.6	42,130	12.7	33,101
1914	3,341,330	73,925	22.1	41,743	12.5	32,182
1915	3,352,734	71,543	21.3	40,863	12.2	30,680
1916	3,364,139	73,486	21.8	44,705	13.3	28,781
1917	3,375,543	67,041	19.9	45,564	13.5	21,477
1918	3,386,948	64,001	18.9	51,925	15.3	12,076
1919	3,398,353	61,193	18.0	39,282	11.6	21,911
1920	3,415,046	65,416	19.2	42,572	12.5	22,844
1921	3,437,027	66,970	19.5	36,210	10.5	30,760
1922	3,459,009	64,388	18.6	38,417	11.1	25,971
1923	3,480,991	66,691	19.2	41,853	12.0	24,838
1924	3,502,972	68,961	19.7	40,463	11.6	28,498
1925	3,524,954	68,293	19.4	41,332	11.7	26,961
1926	3,546,936	66,611	18.8	42,684	12.0	23,927
1927	3,568,917	66,401	18.6	40,853	11.4	25,548
1928	3,590,889	63,401	17.7	45,219	12.6	18,182
1929	3,612,881	60,980	16.9	44,262	12.3	16,718
1930	3,633,250	62,011	17.1	42,924	11.8	19,087
1931	3,648,780	60,201	16.5	43,999	12.1	16,202
1932	3,664,310	59,755	16.3	43,695	11.9	16,060
1933	3,679,840	57,717	15.7	43,368	11.8	14,349
1934	3,695,370	60,317	16.3	46,685	12.6	13,632
1935	3,710,900	57,299	15.4	43,201	11.6	14,098
1936	3,726,430	55,916	15.0	48,767	13.1	7,149
1937	3,741,960	57,270	15.3	45,160	12.1	12,110
1938	3,757,490	59,365	15.8	42,578	11.3	16,787
1939	3,773,020	59,688	15.8	42,693	11.3	16,995
1940	3,788,550	62,545	16.5	43,950	11.6	18,595
1941	3,805,637	66,268	17.4	43,295	11.4	22,973
1942	3,802,813	72,575	19.1	42,117	11.1	30,458
1943	3,750,496	74,820	19.9	44,437	11.8	30,383
1944	3,589,303	69,982	19.5	42,347	11.8	27,635
1945	3,556,693	67,693	19.0	42,757	12.0	24,936
1946	3,780,471	82,901	21.9	42,640	11.3	40,261
1947	3,853,930	92,369	24.0	44,762	11.6	47,607
1948	3,947,000	87,005	22.0	42,921	10.9	44,084
1949	3,920,000	87,372	22.3	43,995	11.2	43,377
1950	3,959,100	87,948	22.2	43,962	11.1	43,986
1951	4,043,000	92,664	22.9	44,318	11.0	48,346

Sources: 1911-1934 and 1937-1942 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the U. S. Bureau of the Census. Population estimates 1930 to date based on census population releases by the U. S. Bureau of the Census.

TABLE B

RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951

Population	NUMBER						RATES*			
	Live Births		Infant Deaths		Still Deaths		Live Births		Infant Deaths	
	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
State Total 4,043,000	89,977	44,051	2,489	1,634	22.3	10.9	27.7	18.2		
Cities 10,000 over	46,866	22,617	1,273	898						
Rural	43,111	21,434	1,216	736						
Counties Including Cities 10,000 over										
Adair 20,100	436	210	5	8	21.7	10.4	11.5	18.3		
Andrew 11,800	186	123	3	5	15.8	10.4	16.1	26.9		
Atchison 11,200	213	95	5	3	19.0	8.5	23.5	14.1		
Audrain 24,500	600	231	9	11	24.5	9.4	15.0	18.3		
Barry 22,100	390	197	5	5	17.6	8.9	12.8	12.8		
Barton 12,800	233	157	4	6	18.2	12.3	17.2	25.8		
Bates 17,700	279	247	9	4	15.8	14.0	32.3	14.3		
Benton 9,100	146	114	7	4	16.0	12.5	47.9	27.4		
Bollinger 11,100	203	116	4	3	18.3	10.5	19.7	14.8		
Boone 49,400	964	426	18	9	19.5	8.6	18.7	9.3		
Buchanan 98,800	1,886	1,096	59	33	19.1	11.0	31.3	17.5		
Butler 38,500	889	382	32	18	23.0	9.9	36.0	20.2		
Caldwell 10,000	160	150	2	4	16.0	15.0	12.5	25.0		
Callaway 23,600	400	221	4	7	16.9	9.4	10.0	17.5		
Camden 8,000	124	93	3	5	15.5	11.6	24.2	40.3		
Cape Girardeau 39,200	903	386	34	15	23.0	9.8	37.7	16.6		
Carroll 15,800	279	221	12	7	17.7	14.0	43.0	25.1		
Carter 4,700	91	63	2	1	19.4	13.4	22.0	11.0		
Cass 19,600	371	220	11	8	18.9	11.2	29.6	21.6		
Cedar 10,700	180	135	8	1	16.8	12.6	44.4	5.6		
Chariton 15,100	255	190	10	6	16.9	12.6	39.2	23.5		
Christian 12,700	241	127	5	3	19.0	10.0	20.7	12.4		
Clark 9,100	172	126	6	2	18.9	13.8	34.9	11.6		
Clay 51,000	1,239	409	19	12	24.3	8.0	15.3	9.7		
Clinton 11,900	239	183	11	4	20.1	15.4	46.0	16.7		
Cole 36,000	727	316	18	11	20.2	8.8	24.8	15.1		
Cooper 16,800	302	198	5	12	18.0	11.8	16.6	39.7		
Crawford 11,800	242	134	12	4	20.5	11.4	49.6	16.5		
Dade 9,500	162	99	3	2	17.1	10.4	18.5	12.3		
Dallas 10,600	163	127	5	2	15.4	12.0	30.7	12.3		
Daviess 11,100	182	159	4	8	16.3	14.3	22.0	44.0		
DeKalb 8,100	149	107	4	4	18.4	13.2	26.8	26.8		
Dent 11,100	198	117	6	2	17.8	10.5	30.0	10.1		
Douglas 12,900	276	97	11	6	21.4	7.5	39.9	21.7		
Dunklin 46,200	1,002	392	43	21	21.7	8.5	42.9	21.0		
Franklin 37,000	814	377	19	14	22.0	10.2	23.3	17.2		
Gasconade 12,600	219	151	1	4	17.4	12.0	4.6	18.3		
Gentry 11,100	207	129	4	1	18.6	11.6	19.3	4.8		
Green 107,500	2,332	1,016	61	36	21.6	9.5	26.2	15.4		
Grundy 13,400	261	187	8	4	19.5	14.0	30.7	15.3		
Harrison 14,200	274	172	5	5	19.2	12.1	18.2	18.2		
Henry 20,300	327	269	10	10	16.1	13.3	30.6	30.6		
Hickory 5,400	96	50	2	1	17.8	9.3	20.8	10.4		
Holt 9,900	161	127	5	5	16.3	12.8	31.1	31.1		
Howard 12,000	200	159	6	-	16.7	13.3	30.0	-		
Howell 23,200	489	276	25	6	21.1	11.9	51.1	12.3		

RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951 - Continued

	Population	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Deaths	Live Births	Deaths	Infant Deaths	Still Deaths
Iron	9,600	190	119	5	5	19.7	12.4	26.3	26.3
Jackson	553,300	13,448	6,247	389	217	24.3	11.3	28.9	16.1
Jasper	80,800	1,664	1,034	49	32	20.5	12.8	29.4	19.2
Jefferson	39,200	1,001	406	28	11	25.5	10.4	28.0	11.0
Johnson	21,000	324	255	7	5	15.4	12.1	21.6	15.4
Knox	7,700	143	100	3	3	18.6	13.0	21.0	21.0
Laclede	19,400	402	183	11	8	20.7	9.4	27.4	19.9
Lafayette	25,700	546	313	12	8	21.2	12.2	22.0	14.7
Lawrence	23,800	436	292	9	1	18.3	12.3	20.6	2.3
Lewis	10,800	151	135	3	3	14.0	12.5	19.9	19.9
Lincoln	13,700	279	177	10	3	21.5	12.9	35.8	10.8
Linn	19,100	312	227	10	8	16.3	11.9	32.1	25.6
Livingston	16,800	343	204	11	3	20.4	12.1	32.1	8.7
McDonald	14,400	247	143	5	6	17.2	9.9	20.2	24.3
Macon	18,500	308	246	11	1	16.6	13.3	35.7	3.2
Madison	10,600	179	81	3	4	16.9	7.6	16.8	22.3
Maries	7,600	167	89	3	4	22.0	11.7	18.0	24.0
Marion	30,100	582	364	9	18	19.3	12.1	15.5	30.9
Mercer	7,200	125	106	11	2	17.4	14.7	88.0	16.0
Miller	14,000	303	144	5	9	21.6	10.3	16.5	29.7
Mississippi	23,100	636	231	33	21	27.5	10.0	51.9	33.0
Moniteau	10,900	211	160	10	2	19.4	14.7	47.4	9.5
Monroe	11,400	197	147	4	3	17.3	12.9	20.3	15.2
Montgomery	11,700	207	160	4	2	17.6	13.7	19.3	9.7
Morgan	10,300	168	129	7	3	16.3	12.5	41.9	17.9
New Madrid	40,400	1,096	325	57	19	27.1	8.0	52.0	17.3
Newton	28,800	551	295	20	6	19.1	10.2	36.3	10.9
Nodaway	24,200	569	295	15	5	23.5	12.2	26.4	8.8
Oregon	12,200	218	93	2	2	17.9	7.6	9.2	9.2
Osage	11,500	217	104	2	2	18.9	9.0	9.2	9.2
Ozark	9,000	191	64	1	2	21.2	7.1	5.2	10.5
Pemiscot	46,600	1,108	404	67	16	23.8	8.7	60.5	14.4
Perry	15,100	359	117	11	6	23.8	7.7	30.6	16.7
Pettis	32,200	594	413	24	15	18.4	12.8	40.4	25.3
Phelps	22,100	519	241	15	7	23.5	10.9	28.9	13.5
Pike	17,200	380	207	7	5	22.0	12.0	18.4	13.2
Platte	15,300	335	137	10	3	21.9	9.0	29.9	9.0
Polk	16,200	283	175	6	3	17.5	10.8	21.2	10.6
Pulaski	11,000	294	129	10	8	26.7	11.7	34.0	27.2
Putnam	9,200	175	113	3	4	19.0	12.3	17.1	22.9
Ralls	8,900	180	116	6	-	20.2	13.0	33.3	-
Randolph	23,400	457	316	12	5	19.5	13.5	26.3	10.9
Ray	16,100	279	216	11	5	17.3	13.4	39.4	17.9
Reynolds	7,000	128	66	6	3	18.3	9.4	46.9	23.4
Ripley	11,500	220	106	6	1	19.1	9.2	27.3	4.5
St. Charles	30,900	833	320	14	12	27.0	10.4	16.8	14.4
St. Clair	10,700	171	124	-	2	16.0	11.6	-	11.7
St. Francois	36,000	766	356	21	15	21.3	9.9	27.4	19.6
Ste. Genevieve	11,600	342	105	10	6	29.5	9.1	29.2	17.5
St. Louis	435,000	11,091	3,541	198	155	25.4	8.1	17.9	14.0
Saline	27,000	481	338	17	12	17.8	12.5	35.3	24.9

RESIDENT LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951 - Continued

	Population	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Deaths	Live Births	Deaths	Infant Deaths	Still Deaths
Schuylerville	5,800	93	72	2	2	16.0	12.4	21.5	21.5
Scotland	7,400	114	105	1	3	15.4	14.2	8.8	26.3
Scott	33,600	818	275	38	10	24.3	8.2	46.5	12.2
Shannon	8,500	167	68	2	5	19.6	8.0	12.0	29.9
Shelby	9,800	170	162	3	2	17.3	16.5	17.6	11.8
Stoddard	34,100	730	298	26	9	21.4	8.7	35.6	12.3
Stone	9,900	177	85	5	4	17.9	8.6	28.2	22.6
Sullivan	11,400	202	152	9	4	17.7	13.3	44.6	19.8
Taney	10,100	201	82	3	4	19.9	8.1	14.9	19.9
Texas	19,400	382	184	7	10	19.7	9.5	18.3	26.2
Vernon	22,900	329	290	13	5	14.4	12.7	39.5	15.2
Warren	7,900	149	92	9	4	18.9	11.6	60.4	26.8
Washington	15,000	378	155	14	6	25.2	10.3	37.0	15.9
Wayne	10,700	205	120	8	4	19.2	11.2	39.0	19.5
Webster	15,300	277	136	6	6	18.1	8.9	21.7	21.7
Worth	5,200	99	54	1	5	19.0	10.4	10.1	50.5
Wright	16,000	318	182	20	8	19.9	11.4	62.9	25.2
St. Louis City	861,000	20,900	10,554	575	500	24.3	12.3	27.5	23.9
Cities over 10,000									
Cape Girardeau		517	217	22	10				
Carthage		258	159	1	3				
Clayton		342	171	8	7				
Columbia		640	218	12	7				
Ferguson		519	99	10	7				
Fulton		162	78	1	-				
Hannibal		398	280	7	11				
Independence		1,065	367	24	16				
Jefferson City		513	213	14	8				
Jennings		399	125	9	8				
Joplin		845	507	28	16				
Kansas City		11,026	5,434	325	170				
Kirksville		277	135	4	4				
Kirkwood		587	206	10	5				
Maplewood		297	140	5	2				
Mexico		324	105	6	6				
Moberly		273	193	10	2				
Overland		1,054	226	20	11				
Poplar Bluff		389	198	15	7				
Richmond Heights		333	159	9	3				
St. Charles		425	151	11	5				
St. Joseph		1,502	926	47	29				
St. Louis City		20,900	10,554	575	500				
Sedalia		400	297	18	10				
Sikeston		311	99	18	2				
Springfield		1,565	705	40	30				
University City		890	430	16	9				
Webster Groves		655	225	8	10				

*Rates for Live Births and Deaths are per 1,000 population.

Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.

Rates for cities not given as population figures were not available.

TABLE C

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951

Population	NUMBER				RATES*			
	Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
State Total 4,043,000	92,664	44,318	2,573	1,755	22.9	11.0	27.8	18.9
Cities 10,000 over	67,333	26,280	1,798	1,313				
Rural	25,331	18,038	775	442				
Counties Including Cities 10,000 over								
Adair 20,100	938	355	14	22	46.7	17.7	14.9	23.5
Andrew 11,800	22	89	1	2	1.9	7.5	45.5	90.9
Atchison 11,200	156	78	3	-	13.9	7.0	19.2	-
Audrain 24,500	726	241	11	16	29.6	9.8	15.2	22.0
Barry 22,100	565	185	7	6	25.6	8.4	12.4	10.6
Barton 12,800	246	127	2	2	19.2	9.9	8.1	8.1
Bates 17,700	243	213	6	2	13.7	12.0	24.7	8.2
Benton 9,100	124	93	3	3	13.6	10.2	24.2	24.2
Bollinger 11,100	74	87	-	-	6.7	7.8	-	-
Boone 49,400	882	418	16	8	17.9	8.5	18.1	9.1
Buchanan 98,800	2,426	1,377	75	53	24.6	13.9	30.9	21.8
Butler 38,500	1,323	547	46	25	34.4	14.2	34.8	18.9
Caldwell 10,000	84	124	1	1	8.4	12.4	11.9	11.9
Callaway 23,600	312	389	2	4	13.2	16.5	6.4	12.8
Camden 8,000	55	72	1	3	6.9	9.0	18.2	54.5
Cape Girardeau 39,200	1,583	524	67	29	40.4	13.4	42.3	18.3
Carroll 15,800	277	190	8	7	17.5	12.0	28.9	25.3
Carter 4,700	71	37	2	-	15.1	7.9	28.2	-
Cass 19,600	288	168	7	2	14.7	8.6	24.3	6.9
Cedar 10,700	121	120	7	3	11.3	11.2	57.9	24.8
Chariton 15,100	60	129	6	2	4.0	8.5	100.0	33.3
Christian 12,700	133	97	4	2	10.5	7.6	30.1	15.0
Clark 9,100	16	79	1	-	1.8	8.7	62.5	-
Clay 51,000	485	328	11	7	9.5	6.4	22.7	14.4
Clinton 11,900	207	149	4	4	17.4	12.5	19.3	19.3
Cole 36,000	1,061	396	28	16	29.5	11.0	26.4	15.1
Cooper 16,800	388	205	7	11	23.1	12.2	18.0	28.4
Crawford 11,800	131	87	8	3	11.1	7.4	61.1	22.9
Dade 9,500	97	86	5	2	10.2	9.1	51.5	20.6
Dallas 10,600	118	96	2	1	11.1	9.1	16.9	8.5
Daviess 11,100	105	124	1	3	9.5	11.2	9.5	28.6
DeKalb 8,100	54	77	1	1	6.7	9.5	13.5	18.5
Dent 11,100	207	96	4	2	18.6	8.6	19.3	9.7
Douglas 12,900	171	69	5	6	13.3	5.3	29.2	35.1
Dunklin 46,200	1,013	343	48	23	21.9	7.4	47.4	22.7
Franklin 37,000	1,078	377	20	15	29.1	10.2	18.6	13.9
Gasconade 12,600	84	109	-	-	6.7	8.7	-	-
Gentry 11,100	124	99	1	-	11.2	8.9	8.1	-
Greene 107,500	3,182	1,324	93	56	29.6	12.3	29.2	17.6
Grundy 13,400	290	193	10	7	21.6	14.4	34.5	24.1
Harrison 14,200	289	157	5	5	20.4	11.1	17.3	17.3
Henry 20,300	429	287	10	13	21.1	14.1	23.3	30.0
Hickory 5,400	43	28	-	1	8.0	5.2	-	23.3
Holt 9,900	42	92	2	1	4.2	9.3	47.6	23.8
Howard 12,000	146	139	4	-	12.2	11.6	27.4	-
Howell 23,200	589	264	22	7	25.4	11.4	37.4	11.9

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951 - Continued

	Population	NUMBER				RATES*			
		Live Births	Deaths	Infant Deaths	Still Births	Live Births	Deaths	Infant Deaths	Still Births
Iron	9,600	425	116	8	12	44.3	12.1	18.8	28.2
Jackson	553,300	16,217	6,485	452	283	29.3	11.7	27.9	17.5
Jasper	80,800	2,022	1,074	52	45	25.0	13.3	25.7	22.3
Jefferson	39,200	243	363	10	6	6.2	9.3	41.2	24.7
Johnson	21,000	301	233	5	5	14.3	11.1	16.6	16.6
Knox	7,700	99	77	5	2	12.9	10.0	50.5	20.2
Laclede	19,400	457	196	14	8	23.6	10.1	30.6	17.5
Lafayette	25,700	563	294	13	9	21.9	11.4	23.1	16.0
Lawrence	23,800	308	320	7	2	12.9	13.4	22.8	6.5
Lewis	10,800	29	107	-	-	2.7	9.9	-	-
Lincoln	13,700	20	118	1	-	1.5	8.6	50.0	-
Linn	19,100	370	229	14	8	19.4	12.0	37.8	21.6
Livingston	16,800	438	204	10	4	26.1	12.1	22.8	9.1
McDonald	14,400	113	116	2	4	7.8	8.1	17.7	35.4
Macon	18,500	225	214	7	1	12.2	11.6	31.1	4.4
Madison	10,600	76	58	1	3	7.2	5.5	13.2	39.5
Maries	7,600	72	56	2	1	9.5	7.4	27.8	13.9
Marion	30,100	1,016	459	22	23	33.8	15.2	21.7	22.6
Mercer	7,200	168	102	11	2	23.3	14.2	65.5	11.9
Miller	14,000	272	116	2	7	19.4	8.3	7.4	25.7
Mississippi	23,100	444	158	18	14	19.2	6.8	40.5	31.5
Moniteau	10,900	195	128	6	2	17.9	11.7	30.8	10.3
Monroe	11,400	65	94	1	2	5.7	8.2	15.4	30.8
Montgomery	11,700	50	109	2	-	4.3	9.3	40.0	-
Morgan	10,300	103	100	3	1	10.0	9.7	29.1	9.7
New Madrid	40,400	821	231	46	10	20.3	5.7	56.0	12.2
Newton	28,800	549	263	19	4	19.1	9.1	34.6	7.3
Nodaway	24,200	706	293	14	11	29.2	12.1	19.8	15.6
Oregon	12,200	176	69	2	1	5.7	5.7	11.4	5.7
Osage	11,500	45	74	-	2	3.9	6.4	-	44.4
Ozark	9,000	145	49	-	2	16.1	5.4	-	13.8
Pemiscot	46,600	875	319	46	13	18.8	6.8	52.6	14.9
Perry	15,100	345	92	8	5	22.8	6.1	23.2	14.5
Pettis	32,200	682	400	28	16	21.2	12.4	41.1	23.5
Phelps	22,100	496	311	13	12	22.4	14.1	26.2	24.2
Pike	17,200	421	197	8	4	24.5	11.5	19.0	9.5
Platte	15,300	7	73	4	-	.5	4.8	571.4	-
Polk	16,200	196	161	7	2	12.1	9.9	35.7	10.2
Pulaski	11,000	740	171	23	13	67.3	15.5	31.1	17.6
Putnam	9,200	153	92	3	4	16.6	10.0	19.6	26.1
Ralls	8,900	21	51	1	-	2.4	5.7	47.6	-
Randolph	23,400	650	373	16	8	27.8	15.9	24.6	12.3
Ray	16,100	56	144	4	-	3.5	8.9	71.4	-
Reynolds	7,000	79	41	3	1	11.3	5.9	38.0	12.7
Ripley	11,500	146	79	4	1	12.7	6.9	27.4	6.8
St. Charles	30,900	1,147	343	16	15	37.1	11.1	13.9	13.1
St. Clair	10,700	103	87	-	2	9.6	8.1	-	19.4
St. Francois	36,000	890	433	21	16	24.7	12.0	23.6	18.0
St. Genevieve	11,600	119	86	4	2	10.3	7.4	33.6	16.8
St. Louis	435,000	4,681	3,267	147	64	10.8	7.5	31.4	13.7

RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS, AND STILLBIRTHS BY COUNTIES
WITH RATES - 1951 Continued

	Population	NUMBER			RATES*				
		Live Births	Deaths	Infant Deaths	Still Deaths	Live Births	Deaths	Infant Deaths	Still Deaths
Saline	27,000	459	334	17	12	17.0	12.4	37.0	26.1
Schuyler	5,800	9	48	-	-	1.6	8.3	-	-
Scotland	7,400	19	57	-	1	2.6	7.7	-	52.6
Scott	33,600	842	263	42	17	25.1	7.8	49.9	20.2
Shannon	8,500	82	50	1	3	9.6	5.9	12.2	36.6
Shelby	9,800	25	111	-	-	2.6	11.3	-	-
Stoddard	34,100	526	205	13	8	15.4	6.0	24.7	15.2
Stone	9,900	63	63	1	1	6.4	6.4	15.9	15.9
Sullivan	11,400	73	97	5	1	6.4	8.5	68.5	13.7
Taney	10,100	171	83	4	4	16.9	8.2	23.4	23.4
Texas	19,400	303	131	5	5	15.6	6.8	16.5	16.5
Vernon	22,900	363	389	12	4	15.9	17.0	33.1	11.0
Warren	7,900	127	114	8	3	16.1	14.4	63.0	23.6
Washington	15,000	248	124	12	5	16.5	8.3	48.4	20.2
Wayne	10,700	94	80	6	3	8.8	7.5	63.8	31.9
Webster	15,300	155	102	-	1	10.1	6.7	-	6.5
Worth	5,200	27	33	-	2	5.2	6.3	-	74.1
Wright	16,000	225	137	12	6	14.1	8.6	53.3	26.7
St. Louis City	861,000	29,255	11,808	749	651	34.0	13.7	25.6	75.6
<hr/>									
Cities over 10,000									
Cape Girardeau		1,545	407	65	28				
Carthage		444	189	1	10				
Clayton		608	611	40	10				
Columbia		868	263	14	8				
Ferguson		2	60	-	1				
Fulton		279	305	2	-				
Hannibal		1,000	391	22	21				
Independence		1,381	340	24	19				
Jefferson City		1,046	334	28	16				
Jennings		3	68	-	-				
Joplin		1,362	593	35	29				
Kansas City		14,658	5,732	415	260				
Kirksville		909	295	14	22				
Kirkwood		8	149	-	1				
Maplewood		-	76	-	-				
Mexico		671	169	10	16				
Moberly		599	288	16	8				
Overland		13	95	1	1				
Poplar Bluff		1,106	428	42	21				
Richmond Heights		3,546	345	80	40				
St. Charles		1,126	218	15	14				
St. Joseph		2,393	1,273	73	52				
St. Louis City		29,255	11,808	749	651				
Sedalia		674	325	26	16				
Sikeston		749	158	38	15				
Springfield		3,084	1,108	87	54				
University City		1	151	-	-				
Webster Groves		3	101	1	-				

* Rates for Live Births and Deaths are per 1,000 population.

Rates for Infant Deaths and Stillbirths are per 1,000 Live Births.

Rates for cities not given as population figures were not available.

TABLE D

STILLBIRTHS - MISSOURI: 1951

Period of Gestation	Recorded			Resident		
	White	Negro	Total	White	Negro	Total
20 weeks	63	35	98	60	28	88
21 weeks	16	2	18	16		16
22 weeks	58	18	76	55	16	71
23 weeks	9	3	12	7	3	10
24 weeks	56	31	87	50	29	79
25 weeks	11	2	13	10	2	12
26 weeks	67	18	85	65	17	82
27 weeks	6	3	9	6	3	9
28 weeks	58	21	79	54	18	72
29 weeks	11	3	14	11	3	14
30 weeks	69	19	88	68	14	82
31 weeks	5	2	7	6	2	8
32 weeks	52	15	67	51	14	65
33 weeks	12	3	15	10	3	13
34 weeks	45	14	59	46	14	60
35 weeks	19	3	22	16	2	18
36 weeks	113	31	144	105	31	136
37 weeks	21	4	25	20	4	24
38 weeks	72	13	85	62	13	75
39 weeks	23	5	28	23	5	28
40 weeks	470	82	552	442	70	512
41 weeks	12	3	15	12	3	15
42 weeks	14	4	18	13	4	17
43 weeks	8	1	9	8	1	9
44 weeks	2	1	3	2	1	3
45 weeks	2		2	2		2
50 weeks	1		1	1		1
52 weeks		1	1		1	1
Unknown	113	10	123	107	5	112
Totals	1,408	347	1,755	1,328	306	1,634

TABLE E

RESIDENT LIVE BIRTHS, URBAN AND RURAL BY AGE OF MOTHER, SEX AND COLOR OF CHILD - MISSOURI: 1951

	URBAN				RURAL			
	WHITE		NEGRO		WHITE		NEGRO	
	Male	Female	Male	Female	Male	Female	Male	Female
All Ages	20,360	19,212	3,733	3,561	21,200	20,294	764	853
10-14	13	15	19	33	15	23	17	8
15-19	2,352	2,153	785	777	2,860	2,749	178	206
20-24	6,874	6,425	1,268	1,134	6,777	6,420	230	261
25-29	5,991	5,680	836	864	5,422	5,334	139	160
30-34	3,291	3,160	512	482	3,511	3,311	98	107
35-39	1,439	1,427	262	220	1,932	1,821	72	82
40-44	378	335	49	46	616	584	25	27
45-49	17	9	1	3	41	33	2	-
50-54	-	-	-	-	-	-	-	-
Unknown	5	8	1	2	26	19	3	2

TABLE F

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES.
THREE MISSOURI AREAS: 1951

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR						
Grand Total	89,977	46,866	43,111			
Total Male	46,057	24,093	21,964	51.2	51.4	50.9
Total Female	43,920	22,773	21,147	48.8	48.6	49.1
White Total	81,066	39,572	41,494	90.1	84.4	96.2
Male	41,560	20,360	21,200	46.2	43.4	49.2
Female	39,506	19,212	20,294	43.9	41.0	47.1
Negro Total	8,911	7,294	1,617	9.9	15.6	3.8
Male	4,497	3,733	764	5.0	8.0	1.8
Female	4,414	3,561	853	4.9	7.6	2.0
ATTENDANT - COLOR						
Grand Total	89,977	46,866	43,111			
M. D.	78,032	44,301	33,731	86.7	94.5	78.2
Osteopath	10,756	2,408	8,348	12.0	5.1	19.4
Midwife	922	134	788	1.0	.3	1.8
Others	266	23	243	.3	.0	.6
Unknown	1	-	1	.0	.0	.0
White Total	81,066	39,572	41,494	90.1	84.4	96.2
M. D.	69,994	37,157	32,837	77.8	79.3	76.2
Osteopath	10,491	2,347	8,144	11.7	5.0	18.9
Midwife	369	59	310	.4	.1	.7
Others	211	9	202	.2	.0	.5
Unknown	1	-	1	.0	.0	.0
Negro Total	8,911	7,294	1,617	9.9	15.6	3.8
M. D.	8,038	7,144	894	8.9	15.2	2.1
Osteopath	265	61	204	.3	.1	.5
Midwife	553	75	478	.6	.2	1.1
Others	55	14	41	.1	.0	.1
Unknown	-	-	-	.0	.0	.0
LEGITIMACY - COLOR						
Legitimate Total	86,667	44,567	42,100	96.3	95.1	97.7
White	79,804	38,942	40,862	88.7	83.1	94.8
Negro	6,863	5,625	1,238	7.6	12.0	2.9
Illegitimate Total	3,245	2,276	969	3.6	4.9	2.2
White	1,210	611	599	1.3	1.3	1.4
Negro	2,035	1,665	370	2.3	3.6	.9
Unknown Total	65	23	42	.1	.0	.1
White	52	19	33	.1	.0	.1
Negro	13	4	9	.0	.0	.0

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES.
THREE MISSOURI AREAS: 1951 - Continued

LIVE BIRTHS	NUMBER			PERCENTAGES			
	State	Total	Urban	Rural	State	Total	Urban
DEFORMITY - COLOR							
Deformed Total	907	474	433	14	1.0	1.0	1.0
White	845	426	419	14	.9	.9	1.0
Negro	62	48	14	14	.1	.1	.0
Not Deformed Total	88,508	46,134	42,374	1,579	98.4	98.4	98.3
White	79,722	38,927	40,795	1,579	88.6	83.1	94.6
Negro	8,786	7,207	1,579	1,579	9.8	15.4	3.7
Not Stated or Unknown Total							
White	562	258	304	24	.6	.6	.7
Negro	499	219	280	24	.5	.5	.6
	63	39	24	24	.1	.1	.1
PREMATURITY - ATTENDANT							
Full Term Total	83,633	43,080	40,553	1,579	92.9	91.9	94.1
M. D.	72,375	40,703	31,672	1,579	80.4	86.8	73.5
Chiropractor	7	2	5	14	.0	.0	.0
Osteopath	10,134	2,229	7,905	1,579	11.3	4.8	18.3
Midwife	873	127	746	1,579	1.0	.3	1.7
Others	243	19	224	1,579	.3	.0	.5
Unknown	1	-	1	1	.0	.0	.0
Premature Total	6,344	3,786	2,558	1,579	7.1	8.1	5.9
M. D.	5,657	3,598	2,059	1,579	6.3	7.7	4.8
Chiropractor	-	-	-	-	.0	.0	.0
Osteopath	622	179	443	1,579	.7	.4	1.0
Midwife	49	7	42	1,579	.1	.0	.1
Others	16	2	14	1,579	.0	.0	.0
Unknown	-	-	-	-	.0	.0	.0
MONTH OF OCCURRENCE							
Total	89,977	46,866	43,111	1,579	100.0	100.0	100.0
January	7,423	3,860	3,563	14	8.2	8.2	8.3
February	6,702	3,472	3,230	14	7.4	7.4	7.5
March	7,391	3,817	3,574	14	8.2	8.1	8.3
April	6,804	3,553	3,251	14	7.6	7.6	7.5
May	7,240	3,788	3,452	14	8.0	8.1	8.0
June	7,385	3,829	3,556	14	8.2	8.2	8.2
July	8,037	4,239	3,798	14	8.9	9.0	8.8
August	7,971	4,081	3,890	14	8.9	8.7	9.0
September	7,923	4,164	3,759	14	8.8	8.9	8.7
October	8,020	4,166	3,854	14	8.9	8.9	8.9
November	7,396	3,852	3,544	14	8.2	8.2	8.2
December	7,685	4,045	3,640	14	8.5	8.6	8.4

Percentages are computed on the basis of total white and negro live births.
Urban areas include cities of over 10,000 population according to 1950 census.
All other areas are included in "Rural".

TABLE G

RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR, WITH RATES BY CAUSE
AND COLOR. MISSOURI: 1951

CAUSE OF DEATH	Color	Number	Rate	Under	Over	Over	Over	Over
				1 hour	1 hour	1 day	1 day	1 week
All Causes								
	Total	2,489	27.7	150	723	623	256	737
	White	2,088	23.2	131	607	545	210	595
	Negro	401	4.5	19	116	78	46	142
Infectious Diseases (20-138)	Total	58	.6		4	2	12	40
	White	46	.5		3		7	36
	Negro	12	.1		1	2	5	4
Respiratory Diseases (1-19, 470-527)	Total	243	2.7				4	239
	White	189	2.1				3	186
	Negro	54	.6				1	53
Gastro-Intestinal Diseases (543-545, 571-573)	Total	86	1.0					86
	White	60	.7					60
	Negro	26	.3					26
Malformations (750-759)	Total	418	4.6	27	89	98	60	144
	White	390	4.3	26	86	95	55	128
	Negro	28	.3	1	3	3	5	16
Injury at Birth (760-761)	Total	197	2.2	35	80	69	12	1
	White	168	1.9	30	66	59	12	1
	Negro	29	.3	5	14	10		
Other Diseases of Early Infancy (762-773)	Total	676	7.5	41	230	260	105	40
	White	565	6.3	32	196	224	82	31
	Negro	111	1.2	9	34	36	23	9
Premature Birth (774-776)	Total	552	6.1	46	309	161	33	3
	White	454	5.0	42	245	138	27	2
	Negro	98	1.1	4	64	23	6	1
All Other Causes	Total	259	2.9	1	11	33	30	184
	White	216	2.4	1	11	29	24	151
	Negro	43	.5			4	6	33

Number following causes of death are those of the International List,
1948 Revision.
Rates are per 1,000 Live Births.

TABLE H
RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES.
MISSOURI: 1951

CAUSE OF DEATH	Number			Rates		
	Total	White	Negro	Total	White	Negro
All Puerperal Causes (640-689)	68	54	14	.8	.7	.2
Abortion with Infection (651)	4	3	1	.0	.0	.0
Abortion without mention of Infection (650,652)	4	1	3	.0	.0	.0
Puerperal Hemorrhage (643,648,670,671,672,687)	15	15	-	.2	.2	.0
Puerperal Infection (640,641,645.1,680,681)	6	3	3	.1	.0	.0
Toxemias of Pregnancy (642,685,686)	19	17	2	.2	.2	.0
Other Accidents of Childbirth (673-678)	10	9	1	.1	.1	.0
Other Puerperal Causes	10	6	4	.1	.1	.0

Rates are per 1,000 Live Births.

Numbers in parentheses refer to code numbers in 6th Revision of
International Statistical Classification of Causes of Death, 1948.

TABLE I
TEN LEADING CAUSES OF DEATH WITH RATES. MISSOURI: 1951
RESIDENT

CAUSE	White	Negro	Total	Rates
1. Heart Disease (410-443)	14,793	1,368	16,161	399.7
2. Malignant Neoplasms (140-205)	5,929	537	6,466	159.9
3. Vascular Lesions (330-334)	4,758	480	5,238	129.6
4. Accidents (800-965)	2,440	263	2,703	66.9
5. Malformation and Diseases of early Infancy (750-776)	1,681	277	1,958	48.6
6. Diseases of Digestive System (530-587)	1,519	157	1,676	41.5
7. Pneumonia (490-493)	1,154	240	1,394	34.4
8. Arteriosclerosis (450)	954	60	1,014	25.2
9. Nephritis and Nephrosis (590-594)	777	114	891	22.0
10. Tuberculosis (001-019)	630	203	833	20.6

Rates are per 100,000 population.

Numbers in parentheses refer to code numbers in 6th Revision of
International Statistical Classification of Causes of Death, 1948.

TABLE J

RECORDED ACCIDENTAL DEATHS BY TYPE AND AGE, MISSOURI: 1951

TYPE OF ACCIDENT		ALL AGES (A)	0-4 (B)	5-14 (C)	15-24 (D)	25-44 (E)	45-64 (F)	65 and Over (G)	Age Unknown (H)
I. GRAND TOTAL		2,694	201	141	355	517	503	972	5
OCCUPATIONAL (except public transportation)	2. OCCUPATIONAL TOTAL	198		4	23	71	68	32	
	3. Agriculture	78		4	8	20	24	22	
	4. Mining, Quarrying, Oil and Gas Wells	9				5	3	1	
	5. Manufacturing	17			1	9	4	3	
	6. Construction	19			5	3	11		
	7. Transportation	10			1	6	3		
	8. Public Utilities	11				8	3		
	9. Trade	6				1	5		
	10. Service	5				2	2	1	
	11. Other Specified Industry	41			8	16	12	5	
	12. Unspecified Industry	2				1	1		
HOME	13. HOME TOTAL	1,076	146	51	30	92	121	635	1
	14. Poisonings (gas excepted)	26	6	1	2	7	7	3	
	15. Poisonings by Gases and Vapors	25	1	1	2	8	10	3	
	16. Fire, Explosion of Combustible Material	214	50	18	6	29	32	78	1
	17. Hot Substance, Corrosive Liquid, Steam	9	2	1		1	2	3	
	18. Mechanical Suffocation	36	34			1		1	
	19. Firearms	60	5	13	9	18	13	2	
	20. Falls on Same Level	217				1	6	210	
	21. Falls to Different Level or Unspecified	380	9	4	1	12	40	314	
	22. Other Specified Home Accidents	92	37	12	10	11	10	12	
	23. Unspecified Home Accidents	17	2	1		4	1	9	
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	1,036	39	52	248	269	235	192	1
	25. Injury to Pedestrian	236	22	24	13	24	58	95	
	26. Collision with Other Motor Vehicle	404	8	12	99	128	101	55	1
	27. Collision with Railroad Train	35		2	16	8	5	4	
	28. Collision with Street Car	7			1	1			
	29. Injury to Pedal Cyclist	2		5	1			1	
	30. Collision with Animal-drawn Vehicle or Animal	74			29	27	8	9	
	31. Collision with Fixed Object	246	8	7	85	72	51	23	
	32. Non-Collision	32	1	1	5	8	12	5	
	33. Other and Unspecified Accident								
PUBLIC	34. PUBLIC NONMOTOR-VEHICLE TOTAL	373	16	34	54	81	73	112	3
	(Priority given to Items 35 to 39)								
	35. Railroad—Not with Motor Vehicle	45		1	3	10	14	17	
	36. Street Car—Not with Motor Vehicle	5				1		4	
	37. Other Vehicle—Not with Motor Vehicle	2			1		1		
	38. Water Transportation	8		2	2	4			
	39. Air Transportation	6				5	1		
	40. Fire, Explosion of Combustible Material	7		1		1	3	2	
	41. Hot Substance, Corrosive Liquid, Steam	3	1			1		1	
	42. Drowning	102	9	17	31	19	11	13	2
	43. Firearms	14		5	4	3	2		
	44. Falls on Same Level	49			1	7	10	31	
	45. Falls to Different Level or Unspecified	39	1	2	1	5	6	24	
	46. Other Specified Public Accidents	70	5	3	9	20	19	13	
	47. Unspecified Public Accidents	23		3	2	5	6	7	
48. Type of Accident Unknown		11				4	6	1	

TABLE J
RECORDED ACCIDENTAL DEATHS BY TYPE AND AGE, MISSOURI: 1951

TYPE OF ACCIDENT		ALL AGES (A)	0-4 (B)	5-14 (C)	15-24 (D)	25-44 (E)	45-64 (F)	65 and Over (G)	Age Unknown (H)
I. GRAND TOTAL		2,694	201	141	355	517	503	972	5
OCCUPATIONAL (except public transportation)	2. OCCUPATIONAL TOTAL	198		4	23	71	68	32	
	3. Agriculture	78		4	8	20	24	22	
	4. Mining, Quarrying, Oil and Gas Wells	9				5	3	1	
	5. Manufacturing	17			1	9	4	3	
	6. Construction	19			5	3	11		
	7. Transportation	10			1	6	3		
	8. Public Utilities	11				8	3		
	9. Trade	6				1	5		
	10. Service	5				2	2	1	
	11. Other Specified Industry	41			8	16	12	5	
	12. Unspecified Industry	2				1	1		
HOME	13. HOME TOTAL	1,076	146	51	30	92	121	635	1
	14. Poisonings (gas excepted)	26	6	1	2	7	7	3	
	15. Poisonings by Gases and Vapors	25	1	1	2	8	10	3	
	16. Fire, Explosion of Combustible Material	214	50	18	6	29	32	78	1
	17. Hot Substance, Corrosive Liquid, Steam	9	2	1		1	2	3	
	18. Mechanical Suffocation	36	34			1		1	
	19. Firearms	60	5	13	9	18	13	2	
	20. Falls on Same Level	217				1	6	210	
	21. Falls to Different Level or Unspecified	380	9	4	1	12	40	314	
	22. Other Specified Home Accidents	92	37	12	10	11	10	12	
	23. Unspecified Home Accidents	17	2	1		4	1	9	
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	1,036	39	52	248	269	235	192	1
	25. Injury to Pedestrian	236	22	24	13	24	58	95	
	26. Collision with Other Motor Vehicle	404	8	12	99	128	101	55	1
	27. Collision with Railroad Train	35		2	16	8	5	4	
	28. Collision with Street Car	7			1	1			
	29. Injury to Pedal Cyclist	2		5	1			1	
	30. Collision with Animal-drawn Vehicle or Animal	74		1	29	27	8	9	
	31. Collision with Fixed Object	246	8	7	85	72	51	23	
	32. Non-Collision	32	1	1	5	8	12	5	
	33. Other and Unspecified Accident								
PUBLIC	34. PUBLIC NONMOTOR-VEHICLE TOTAL (Priority given to Items 35 to 39)	373	16	34	54	81	73	112	3
	35. Railroad—Not with Motor Vehicle	45		1	3	10	14	17	
	36. Street Car—Not with Motor Vehicle	5				1		4	
	37. Other Vehicle—Not with Motor Vehicle	2			1		1		
	38. Water Transportation	8		2	2	4			
	39. Air Transportation	6				5	1		
	40. Fire, Explosion of Combustible Material	7		1		1	3	2	
	41. Hot Substance, Corrosive Liquid, Steam	3	1			1		1	
	42. Drowning	102	9	17	31	19	11	13	2
	43. Firearms	14		5	4	3	2		
	44. Falls on Same Level	49			1	7	10	31	
	45. Falls to Different Level or Unspecified	39	1	2	1	5	6	24	
	46. Other Specified Public Accidents	70	5	3	9	20	19	13	1
	47. Unspecified Public Accidents	23		3	2	5	6	7	
48. Type of Accident Unknown		11				4	6	1	

TABLE K

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1951

Type of Accident													
Unknown													
Other Public Accidents													
Public - Falls													
Public - Drowning													
Other Motor Vehicle Accidents													
Motor Vehicle - Collision with other Motor Vehicle													
Motor Vehicle - Collision with Pedestrian													
Other Home Accidents													
Home - Falls													
Home - Fire, and Explosion													
Occupational Accidents													
Totals													
State Total	2,685	191	218	593	265	237	402	393	102	89	184	11	
Cities over 10,000	969	56	75	343	99	126	49	48	17	74	74	8	
Rural	1,716	135	143	250	166	111	353	345	85	15	110	3	
Counties exc. Cities over 10,000													
Adair	12	1					1					2	
Andrew	11						1					3	
Atchison	10						1					1	
Audrain	10						1					1	
Barry	15						1					1	
Barton	17						1					1	
Bates	30						1					1	
Benton	7						2					1	
Bollinger	3						1					1	
Boone	15						2					1	
Buchanan	17						2					1	
Butler	26						1					1	
Caldwell	7						2					1	
Callaway	19						5					1	
Camden	12						2					1	
Cape Girardeau	17						1					1	
Carroll	18						1					1	
Carter	3						1					1	
Cass	18						1					1	
Cedar	4						2					1	
Chariton	9						1					1	
Christian	10						2					1	
Clark	10						1					1	
Clay	23						2					1	
Clinton	8						1					1	
Cole	10						1					1	
Cooper	13						1					1	
Crawford	15						1					1	
Dade	7						1					1	
Dallas	7						1					1	
Daviess	9						1					1	
DeKalb	8						1					1	
Dent	7						1					1	

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1951
 (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1951
 (Continued)

Type of Accident	Ozark	Pemiscot	Perry	Pettis	Phelps	Pike	Platte	Polk	Pulaski	Putnam	Ralls	Randolph	Ray	Reynolds	Ripley	St. Charles	St. Clair	St. Francois	Ste. Genevieve	St. Louis	Saline	Schuyler	Scotland	Scott	Shannon	Shelby	Stoddard	Stone	Sullivan	Taney	Texas	Vernon	Warren	Washington	Wayne	Webster	Worth	Wright
Unknown																																						
Other Public Accidents	2	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Public - Falls																				2	2																	
Public - Drowning																																						
Other Motor Vehicle Accidents	1	4	1	3	6	2	2	3	14	1	4	4	1	1	6	2	4	1	7	5	1	3	2	2	1	4	5	1	1	1	1							
Motor Vehicle - Collision with other Motor Vehicle	4									7	2	5	5	9		4	1	1	7	10	34	6	1	1	2	1	2	3	2	6	3	11	2					
Motor Vehicle - Collision with Pedestrian	1	2								4	1	3	2	1	1		2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2					
Other Home Accidents	1	3								3	2	3	1				2	3	15	2	1	3	2	5														
Home - Falls		4	1	6	6	2				3	1	5	1	1		6		4	16	4	2	2	1	1	3	2												
Home - Fire, and Explosion	7	1	1	1	1	1	1			2		2	1	1	9	1			1	1		1		1	1	1	1	1	1	1	1	1	1	1				
Occupational Accidents	1	2	1	1		1	1	3	2	1	2		2	3	11	4		1	1	1	2																	
Totals	4	24	6	10	27	15	12	12	33	5	6	16	15	5	4	19	8	27	7	135	26	4	4	14	7	11	16	1	6	9	10	21	9	18	12	21	5	6

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE. MISSOURI: 1951
 (Continued)

TABLE L
RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES FOR THE STATE: 1951

	All Ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 and over	Un- know
TOTAL DEATHS	44,051	2,559	459	200	173	326	338	413	521	1,892	4,026	7,052	10,677	10,851	4,597	37
Total Male	24,994	1,409	238	124	118	220	223	251	303	1,118	2,430	4,408	6,274	5,724	2,128	26
Total Female	19,057	1,080	221	76	55	106	115	162	218	774	1,596	2,644	4,403	5,127	2,469	11
TOTAL WHITE	39,593	2,088	390	175	157	283	281	314	396	1,496	3,238	6,174	9,774	10,396	4,408	23
Male	22,567	1,184	201	114	109	196	190	197	240	922	2,046	3,898	5,750	5,475	2,028	17
Female	17,026	904	189	61	48	87	91	117	156	574	1,192	2,276	4,024	4,921	2,380	6
TOTAL NEGRO	4,458	401	69	25	16	43	57	99	125	396	788	878	903	455	189	14
Male	2,427	225	37	10	9	24	33	54	63	196	384	510	524	249	100	9
Female	2,031	176	32	15	7	19	24	45	62	200	404	368	379	206	89	5
CAUSES OF DEATH																
Tuberculosis of respiratory system (001-008)	766	3	4		2	12	27	30	40	95	158	153	147	82	13	
Tuberculosis, other forms (010-019)	67	1	14	3	1	2	1	3	3	11	6	11	7	4		
Syphilis, under 1 year (020-029)	5	5														
Syphilis, age 1 year and over (020-029)	252	2				1		1	3	20	58	80	58	27	2	
Typhoid fever (040)	2															
Paratyphoid fever (041)	-															
Undulant fever (044)	1															
Bacillary dysentery (045)	7	4	2		1										1	
Amebic dysentery (046)	9	1													1	
Other and unspecified dysentery (047-048)	9	3	3												2	
Scarlet fever and streptococcal sore throat (050-051)	12	1	1	1	2					1	1	1	1	1	1	1
Diphtheria (055)	10	8	1					1		1	1	1		3		
Whooping Cough (056)	17	12	5													
Meningococcal infections (057)	29	9	11	2	1	1	2			1	1	1			1	
Tularemia (059)	-															
Tetanus (061)	11	4	1	2												
Acute poliomyelitis (080)	53	3	10	2	8	8	5	3	8	5	1	1	1	2		
Acute infectious encephalitis (082)	12	1	3		1	1	1		1	2	2					
Measles (085)	31	6	16	5	1	1				1				1		
Rabies (094)	1													1		
Rocky mountain spotted fever (104)	-															
Typhus and other rickettsial diseases (100-103; 105-108)	-															
Malaria (110-117)	2		1													1
Other infectious and parasitic diseases (130-138, exc. above)	106	9	4	3	1	7	1	4	4	8	19	11	18	14	3	
Malignant neoplasms (140-205)	6,466	3	31	28	25	19	18	43	63	329	884	1,493	1,827	1,347	355	1
Benign and unspecified neoplasms (210-239)	107	2	2	2	2	2	4	1	5	14	19	15	23	11	7	
Diabetes mellitus (260)	673	1	2	3	3	1	7	6	5	19	57	143	234	164	28	
Anemias (290-293)	109	1	1	2				1	1	8	12	29	37	17		
Vascular lesions affecting central nervous system (330-334)	5,238	5	3	2	2	3	9	4	13	113	347	722	1,525	1,806	680	4
Nonmeningococcal meningitis (340)	41	10	7	2	3			2	1	2	2	3	8	1		
Rheumatic fever (400-402)	56	1	1	4	5	4	3		2	10	9	7	6	1	3	
Chronic rheumatic heart disease (410-416)	612	2	2	1	5	8	9	16	25	60	92	127	124	105	39	
Arteriosclerotic and degenerative heart disease (420-422)	12,110	2	2	1	6	4	10	35	263	878	2,112	3,516	3,672	1,598	11	
Other diseases of heart (430-434)	659	4		1	2	4	5	13	40	82	115	143	171	79		
Hypertension with heart disease (440-443)	2,780	4			1	2	4		5	10	72	230	469	757	882	352
Hypertension w/o mention of heart (444-447)	477							1	2	23	39	77	111	152	71	1
Other diseases of circulatory system (450-468)	1,296	3		2	2	3	3	4	5	28	53	116	255	487	338	
Influenza (480-483)	190	14	8	2	1	1		1	2	2	13	19	42	53	32	
Lobar pneumonia 4 weeks (490)	523	27	14	3	1		5	5	3	28	60	67	101	143	66	
Bronchopneumonia 4 weeks (491)	612	136	33	3	2	5	3	2	11	23	49	102	150	93		
Pneumonia, other forms 4 weeks (492-493)	259	40	11	4	3	3	1		3	20	23	41	70	37		
Bronchitis (500-502)	69	11	5	1				2	1	12	10	18	9			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	92	84	8													
Gastro Enteritis and colitis, 2 years (571.1)	32	5	3	1												
Cirrhosis of liver (581)	432	1			2	1		1	6	45	97	108	95	61	15	
Other diseases of digestive system (530-587 excl. above)	1,120	40	13	10	4	6	6	14	24	72	141	238	288	202	62	
Nephritis and nephrosis (590-594)	891	1	4	7	6	4	8	16	17	46	86	117	199	249	129	2
Complications of pregnancy and puerperium (640-652; 670-689)	68				7	11	13	17	19	1						
Congenital malformations (750-759)	533	418	43	6	7	3	6	8	4	13	14	4	4	3		
Birth injuries, asphyxia, (under 4 weeks) (760-762)	540	540														
Pneumonia of newborn (under 4 weeks) (763)	101	101														
Diarrhea of newborn (under 4 weeks) (764)	23	23														
Other infections of newborn (under 4 weeks) (765-769)	35	35														
Other diseases of early infancy (under 4 weeks) (770-776)	726	726														
Senility, ill defined and unknown causes (780-795)	633	48	9	4	1		3	3	5	31	42	79	122	134	146	6
All other diseases (residual)	1,832	77	40	22	12	15	21	18	45	124	189	298	417	384	170	
Motor vehicle accidents (810-835)	1,033	6	35	25	24	128	108	76	63	119	135	116	113	69	15	1
All other accidents (800-802; 840-865)	1,670	69	93	43	44	61	37	59	54	145	138	143	244	311	224	5
Suicide and self-inflicted injury (970-979)	411						3	16	23	15	63	86	87	84	28	5
Homicide (980-985)	200	4		1	1	9	15	32	23	49	31	20	11	2	2	

TABLE M
DIVISION OF HEALTH OF MISSOURI
RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1951

TABLE M - Continued

DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1951

TABLE M - Continued

DIVISION OF HEALTH OF MISSOURI

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY. MISSOURI: 1951

TABLE N
REPORTED CASES OF 35 DISEASES* BY COUNTY AND CITIES OF 25,000 AND OVER
MISSOURI - 1951

County figures exclude those for cities of 25,000 or more population in county.

TABLE II

TABLE N

TABLE N

TABLE N

TABLE N

TABLE 0

REPORTED CASES OF 21 SELECTED DISEASES FOR THE STATE OF MISSOURI
BY MONTH OF RECEIPT OF REPORT - 1951

Missouri census - 4,043,000

Rates are per 100,000 population

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total	1951	1950
Brucellosis	2	6	3	7	9	9	4	6	4	4	5	8	67	1.65	2.0
Chickenpox	391	412	537	272	324	447	155	50	7	34	110	317	3056	75.58	54.6
Diphtheria	10	9	2	7	2	2	2	3	1	2	40	12	92	2.27	1.8
Dysentery, all forms	3	2	3	-	-	5	3	4	5	6	9	1	41	1.01	1.0
Amebic	-	1	2	-	-	-	-	-	1	-	-	-	4	0.09	---
Bacillary	-	-	-	-	-	-	1	3	1	2	3	-	10	0.24	---
Encephalitis, Infectious	1	2	-	-	1	-	3	3	-	-	-	1	11	0.27	0.15
Hepatitis, Infectious	-	1	82	302	242	118	49	30	50	36	45	33	988	24.43	13.1
Influenza	17	10	19	36	16	9	2	1	1	-	5	6	122	3.01	2.5
Malaria	-	-	-	-	-	-	1	-	2	-	1	1	5	0.12	0.05
Measles	961	1515	1808	951	1033	964	248	83	18	8	21	38	7648	189.16	60.05
Meningitis, Meningococcal	16	6	13	6	11	13	9	4	3	4	3	7	95	2.34	2.5
Mumps	212	172	302	271	384	685	256	203	27	74	118	202	2906	61.18	34.59
Poliomyelitis	4	7	1	1	2	5	34	207	209	125	106	16	717	17.73	10.41
Rabies, Animal	-	-	31	193	109	91	26	17	11	11	8	10	507	12.29	---
Rabies, Human	-	-	-	-	-	-	-	-	-	-	-	1	1	0.02	---
Smallpox	-	1	-	-	-	1	-	-	-	-	-	-	2	0.04	0.05
Scarlet Fever and	121	111	201	170	106	69	13	17	11	50	68	52	989	24.28	---
Streptococcal Sore Throat	-	-	1	-	1	-	2	-	2	-	-	-	6	0.14	0.20
Tetanus	-	-	1	-	2	5	3	2	-	2	4	2	34	0.84	1.3
Tularemia	4	3	-	4	4	2	3	5	13	7	8	15	69	1.70	2.25
Typhoid Fever	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping Cough	31	36	45	29	32	46	70	94	66	45	80	78	652	16.12	34.26

TABLE AA

MARRIAGES BY YEAR OF BIRTH. MISSOURI: 1951

GROOM VS BRIDE

Bride's Birth Year

Totals	116	178	315	453	564	723	990	1,328	1,797	1,409	468	537	609	745	785																	
Unknown	1	2	4	2	1	5	4	6	1	1	1	1	1	2	9																	
After 1936																																
1936																																
1935																																
1934																																
1933																																
1932																																
1931	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1																	
1930																																
1929																																
1928	1	1	1	1	3	7	16	19	20	18	18	19	20	21	22																	
1927																																
1926																																
1925																																
1924																																
1923																																
1922																																
1921																																
1920																																
1919																																
1918																																
1917	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
1912-1916																																
1907-1911																																
1902-1906	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20																	
1897-1901	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
1902-1906																																
1907-1911																																
1912-1916																																
1917																																
1918																																
1919																																
1920																																
1921																																
1922																																
1923																																
1924																																
1925																																
1926																																
1927																																
1928																																
1929																																
1930																																
1931																																
1932																																
1933																																
1934																																
1935																																
1936	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15																	
Not Stated																																
Totals	32	72	158	247	385	535	802	1115	1487	345	376	384	463	521	539	610	717	861	1001	1318	1567	2119	2680	2936	3525	2741	1444	804	247	2	828	30,880

TABLE BB

MARRIAGES BY MARITAL STATUS. MISSOURI: 1951

		Bride			
		<u>Single</u>	<u>Widowed</u>	<u>Divorced</u>	<u>Not Stated or Unknown</u>
Groom	Single	19,968	462	2,040	20
	Widowed	337	837	620	2
	Divorced	1,972	634	3,278	4
	Not Stated or Unknown	8	2	3	693
Total		22,285	1,935	5,941	719
					30,880

TABLE CC

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
 GROOMS AND BRIDES: 1951

	Grooms						Brides					
	All Classes	Single	Widowed	Divorced	Not Stated	All Classes	Single	Widowed	Divorced	Not Stated		
Total	30,880	22,490	1,796	5,888	706	30,880	22,285	1,935	5,941	719		
Under 15	9	9				21	20				1	
15 Years	1	1				247	246				1	
16 Years	45	45				804	798				5	
17 Years	232	231		1		1,444	1,423				17	4
18 Years	752	745		4		2,741	2,695				43	1
19 Years	1,517	1,503		14		3,525	3,412				106	2
20 Years	1,953	1,929		19		2,936	2,787				145	1
21 Years	2,749	2,686		61		2,680	2,465				201	2
22 Years	2,819	2,697		120		2,119	1,885				229	2
23 Years	2,288	2,145		137		1,567	1,321				235	2
24 Years	2,151	1,956		186		1,318	1,038				254	7
25 Years	1,826	1,577		243		1,001	714				262	
26 Years	1,397	1,184		204		861	591				249	
27 Years	1,280	1,025		245		717	442				253	
28 Years	1,009	765		236		610	309				271	1
29 Years	880	650		12		539	296				216	
30 Years	760	519		11		521	228				257	
31 Years	549	345		8		463	200				226	2
32 Years	537	318		14		384	158				198	
33 Years	468	248		16		376	140				208	
34 Years	409	216		22		345	114				192	
35 Years	413	183		17		326	94				187	
36 Years	363	152		24		302	82				183	
37 Years	383	163		18		293	94				158	
38 Years	330	136		23		290	89				169	1
39 Years	308	108		24		276	74				146	
40 Years	291	116		22		248	57				139	
41 Years	307	96		25		230	53				139	
42 Years	246	76		25		204	44				110	
43 Years	249	60		31		231	51				131	
44 Years	235	66		32		202	40				116	
45 - 49 Years	990	239		186		802	128				406	2
50 - 54 Years	723	115		246		535	52				231	1
55 - 59 Years	564	54		244		385	31				117	

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES: 1951 (Continued)

	Grooms						Brides					
	All Classes			Not Stated			All Classes			Not Stated		
	Single	Widowed	Divorced	Single	Widowed	Divorced	Single	Widowed	Divorced	Single	Widowed	Divorced
60 - 64 Years	453	40	277	136		247	15	168	64			
65 - 69 Years	315	21	229	64	1	158	8	125	25			
70 - 74 Years	178	11	128	39		72	7	53	12			
75 and over	116	6	97	13		32	1	28	3			
Not Stated	785	54	18	28	685	828	83	19	37			689

TABLE DD

MARRIAGES: COLOR OF GROOM
MISSOURI: 1951

White	26,536
Negro	3,641
Other	16
Not Stated*	687
Total	30,880

*Includes Indians, Mexicans,
Japanese and Chinese

TABLE EE

DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED.
MISSOURI: 1951

Children Reported	Total	Number	
		Divorces	Annulments
Total	12,131	12,048	83
No Children	7,257	7,194	63
One Child	2,488	2,486	2
Two Children	1,324	1,324	-
Three Children	477	477	-
Four Children	231	231	-
Five or More Children	139	139	-
Not Stated	215	197	18

TABLE FF

COMPLAINANT vs TO WHOM DECREE GRANTED. DIVORCES - MISSOURI: 1951

Complainant	Decree to Whom Granted						Total
	Separate Maintenance		Not Stated or Unknown				
Husband	Wife	Husband	Wife				
Husband	2,890	355	-	-	-	9	3,254
Wife	91	8,570	-	2	-	12	8,675
Other	-	-	1	-	-	-	1
Unknown	17	39	-	4	-	58	118
Total	2,998	8,964	1	6	-	79	12,048

COMPLAINANT VS TO WHOM DECREE GRANTED. ANNULMENTS - MISSOURI: 1951

Complainant	Decree to Whom Granted					
	Separate Maintenance		Not Stated		Total	
	Husband	Wife	Husband	Wife	or Unknown	
Husband	28	2	-	-	-	30
Wife	1	46	-	-	-	47
Other	-	-	-	-	-	-
Unknown	1	1	-	-	4	6
Total	30	49	-	-	4	83

TABLE GG

COMPLAINANT VS DISPOSITION OF CHILDREN. DIVORCES - MISSOURI: 1951

Complainant	Disposition of Children							No Children	Total
	Husband	Wife	Guardian	Joint	Custody to Others	Not Stated or Unknown			
Husband	280	519	5	44	14	75	2,317	3,254	
Wife	89	3,411	6	71	33	72	4,993	8,675	
Others	-	-	-	-	-	-	1	1	
Unknown	3	9	1	-	1	26	78	118	
Total	372	3,939	12	115	48	173	7,389	12,048	

COMPLAINANT VS DISPOSITION OF CHILDREN. ANNULMENTS - MISSOURI: 1951

<u>Complainant</u>	<u>Disposition of Children</u>						<u>Children</u>	<u>Total</u>
	<u>Husband</u>	<u>Wife</u>	<u>Guardian</u>	<u>Joint</u>	<u>to Others</u>	<u>Custody</u>	<u>Not Stated</u>	
Husband	-	-	-	-	2	-	28	30
Wife	-	-	-	-	-	-	47	47
Others	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	6	6
<u>Total</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>2</u>	<u>-</u>	<u>81</u>	<u>83</u>

TABLE HH

DIVORCES AND ANNULMENTS
NUMBER OF CASES CONTESTED. MISSOURI: 1951

<u>Contestant</u>	<u>Number</u>		
	<u>Total</u>	<u>Divorces</u>	<u>Annulments</u>
Husband	351	349	2
Wife	381	379	2
No Contest	11,190	11,129	61
Not Stated OR Unknown	209	191	18
Total	12,131	12,048	83

TABLE JJ

DIVORCES AND ANNULMENTS
ALIMONY AND SETTLEMENTS. MISSOURI: 1951

	<u>Number</u>		
	<u>Total</u>	<u>Divorces</u>	<u>Annulments</u>
Alimony granted to wife	2,430	2,429	1
Alimony granted to husband	1	1	-
Property Settlement	91	91	-
Support of Children	740	740	-
Both alimony and Child Support	358	358	-
No alimony or settlement	8,201	8,140	61
Not stated or Unknown	310	289	21
Total	12,131	12,048	83

TABLE KK

DIVORCES AND ANNULMENTS
CAUSE OR GROUNDS ALLEGED. MISSOURI: 1951

<u>Cause</u>	<u>Number</u>
Adultery or Infidelity	137
Cruelty	153
Desertion or Gross Neglect and Vagrancy	1,802
Drunkenness	174
Non-Support (Incompetency)	203
Bigamy	14
Conviction of Crime (Felony)	78
Indignities - Incompatibility	9,321
Insanity or Feeble-minded	2
Social Diseases	-
Annulment (Under Age)	83
Not Stated or Unknown	164
Total	12,131

TABLE LL

DIVORCES - MISSOURI: 1951
SEX AND COLOR - HUSBAND vs WIFE

Husband		Wife				Totals
		White	Negro	Other	Unknown	
	White	10,167	-	3	31	10,201
	Negro	-	1,569	-	-	1,569
	Other	8	-	3	-	11
	Unknown	26	2	-	239	267
	Total	10,201	1,571	6	270	12,048

ANNULMENTS - MISSOURI: 1951
SEX AND COLOR - HUSBAND vs WIFE

Husband		Wife				Totals
		White	Negro	Other	Unknown	
	White	77	-	-	-	77
	Negro	-	5	-	-	5
	Other	-	-	-	-	-
	Unknown	-	-	-	1	1
	Total	77	5	-	1	83

TABLE MM

STATE OF MARRIAGE. MISSOURI: 1951

	<u>Divorces</u>	<u>Annulments</u>	<u>Divorces</u>	<u>Annulments</u>
1. Alabama	33		27. Nevada	70
2. Arizona	64	1	28. New Hampshire	2
3. Arkansas	1,712	48	29. New Jersey	23
4. California	129	2	30. New Mexico	40
5. Colorado	43	1	31. New York	61
6. Connecticut	2		32. North Carolina	15
7. Delaware	1		33. North Dakota	2
8. District of Columbia	10		34. Ohio	39
9. Florida	34		35. Oklahoma	127
10. Georgia	36	1	36. Oregon	5
11. Idaho	6		37. Pennsylvania	16
12. Illinois	449	2	38. Rhode Island	2
13. Indiana	57		39. South Carolina	21
14. Iowa	80		40. South Dakota	8
15. Kansas	1,234	5	41. Tennessee	45
16. Kentucky	78	1	42. Texas	90
17. Louisiana	46		43. Utah	7
18. Maine	2		44. Vermont	2
19. Maryland	31	1	45. Virginia	23
20. Massachusetts	12		46. Washington	46
21. Michigan	48		47. West Virginia	4
22. Minnesota	18	1	48. Wisconsin	9
23. Mississippi	197		49. Wyoming	7
24. Missouri	6,717	19	50. Other Countries	83
25. Montana	6		Not Stated or	220
26. Nebraska	36		Unknown	
				12,048
				83

TABLE NN

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE
DIVORCES - MISSOURI: 1951

<u>Husband</u>	Wife						<u>Totals</u>	
	<u>None</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5 or More</u>		
None	5,634	1,162	203	38	9	3	45	7,094
1	1,092	1,537	397	76	17	11	30	3,160
2	192	402	244	59	8	10	6	921
3	40	114	61	32	2	4	1	254
4	13	27	17	6	5	1	4	73
5 or more	2	26	6	3	2	4	-	43
Unknown	58	43	19	1	1	-	381	503
Totals	7,031	3,311	947	215	44	33	467	12,048

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE
ANNULMENTS - MISSOURI: 1951

<u>Husband</u>	Wife						<u>Totals</u>	
	<u>None</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5 or More</u>		
None	33	8	6	-	-	-	1	48
1	9	7	4	1	-	-	-	21
2	-	-	-	-	-	-	-	-
3	-	2	-	1	-	-	1	4
4	-	2	2	-	-	-	-	4
5 or more	-	1	-	-	-	1	-	4
Unknown	1	1	-	-	-	-	2	2
Totals	43	21	12	2	-	1	4	83

TABLE PP

* DIVORCES BY AGE OF HUSBAND AND OF WIFE, AND BY NUMBER OF TIMES MARRIED
MISSOURI: 1951

Age	HUSBAND					WIFE					
	Married		More Than Once			Not Stated	Married		More Than Once		
	Total	Once	Married	More	Than		Once	Married	More	Than	Not
1876 & Earlier	65	5	57	3	24	3	21				
1877-1881	95	23	72		29	2	27				
1882-1886	179	47	129	3	93	11	81				1
1887-1891	271	94	175	2	152	50	99				3
1892-1896	458	156	294	8	244	74	166				4
1897-1901	735	312	413	10	495	190	298				7
1902-1906	1,017	493	513	11	823	355	461				7
1907	232	125	103	4	210	92	117				1
1908	282	139	137	6	242	111	127				4
1909	247	136	106	5	225	96	124				5
1910	338	184	154		266	121	142				3
1911	267	130	134	3	270	134	134				2
1912	299	161	133	5	272	150	120				2
1913	305	179	124	2	280	148	130				2
1914	324	182	137	5	279	137	139				3
1915	317	194	120	3	279	138	141				
1916	296	159	134	3	283	147	131				5
1917	306	190	109	7	306	175	128				3
1918	306	194	108	4	337	186	149				2
1919	337	207	125	5	318	177	139				2
1920	356	222	127	7	354	206	146				2
1921	428	276	149	3	417	237	176				4
1922	383	259	121	3	401	243	152				6
1923	464	329	127	8	445	281	159				5
1924	432	332	94	6	405	256	145				4
1925	442	348	89	5	457	297	151				9
1926	442	358	82	2	430	302	125				3
1927	425	367	53	5	479	349	126				4
1928	360	311	44	5	458	370	83				5
1929	332	307	22	3	517	440	71				6
1930	198	188	6	4	449	380	64				5
1931	122	117	5		346	310	33				3
1932	73	67	2	4	292	262	23				7
1933	29	29			189	178	10				1
1934	7	6	1		117	115	1				1
1935	4	3	1		38	38					
1936	1	1			7	7					
After 1936	4	4			5	4					1
Not Stated	870	260	248	362	815	257	211	347			
Total	12,048	7,094	4,448	506	12,048	7,029	4,550	469			

* Does not include 83 Annulments.

State Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	State Total				Urban Total		Rural Total	
	Total	Rate	White	Colored	White	Colored	White	Colored
	4,043,000							
Total Estimated Population, July 1, 1951								
LIVE BIRTHS								
Attended by M. D.	89,977	22.3	81,066	8,911	39,572	7,294	41,494	1,617
Attended by D. O.	78,032		69,994	8,038	37,157	7,144	32,837	1,794
Attended by midwives	10,756		10,491	265	2,347	61	8,144	204
Others or unspecified	922		369	553	59	75	310	478
STILLBIRTHS								
Attended by M. D.	267		212	55	9	14	203	41
Attended by D. O.	1,634	18.2	1,328	306	646	252	682	54
Attended by midwives	1,357		1,084	273	581	233	503	40
Others or unspecified	226		223	3	53		170	3
TOTAL DEATHS								
Under one year of age	4,4051	10.9	39,593	4,458	19,108	3,509	20,485	949
Neonatal deaths	2,489	27.7	2,088	401	984	289	1,104	112
Maternal deaths	1,752	19.5	1,493	259	744	195	749	64
68	.8	54	14	18	10	36	4	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	766	18.9	587	179	315	152	272	27
Tuberculosis, other forms (010-019)	67	1.7	43	24	27	20	16	4
Syphilis, under 1 year (020-029)	5	.1	3	2	1	1	2	1
Syphilis, age 1 year and over (020-029)	252	6.2	176	76	106	61	70	15
Typhoid fever (040)	2	.05	2				2	
Paratyphoid fever (041)								
Undulant fever (044)	1	.02	1				1	
Bacillary dysentery (045)	7	.2	7		3		4	
Amebic dysentery (046)	9	.2	9		4		5	
Other and unspecified dysentery (047-048)	9	.2	8	1	2		6	
Scarlet fever and streptococcal sore throat (050-051)	12	.3	11	1		1	11	
Diphtheria (055)	10	.2	8	2	2	1	6	1
Whooping cough (056)	17	.4	15	2	4		11	2
Meningococcal infections (057)	29	.7	22	7	8	5	14	2
Tularemia (059)								
Tetanus (061)	11	.3	8	3	1	1	7	2
Acute poliomyelitis (080)	53	1.3	53		23		30	
Acute infectious encephalitis (082)	12	.3	9	3	5	3	4	
Measles (085)	31	.8	30	1	5	1	25	
Rabies (094)	1	.02	1				1	
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)	2	.05	2				2	
Other infectious and parasitic diseases (030-138, exc. above)	106	2.6	100	6	47	4	53	2
Malignant neoplasms (140-205)	6,466	159.9	5,929	537	3,030	436	2,899	101
Benign and unspecified neoplasms (210-239)	107	2.6	84	23	40	18	44	5
Diabetes mellitus (260)	673	16.6	615	58	304	43	311	15
Anemias (290-293)	109	2.7	101	8	48	7	53	1
Vascular lesions affecting central nervous system (330-334)	5,238	129.6	4,758	480	2,117	367	2,641	113
Nonmeningococcal meningitis (340)	41	1.0	32	9	14	7	18	2
Rheumatic fever (400-402)	56	1.4	50	6	25	5	25	1
Chronic rheumatic heart disease (410-416)	612	15.1	537	75	254	66	283	9
Arteriosclerotic and degenerative heart disease (420-422)	12,110	299.5	11,405	705	5,724	518	5,681	187
Other diseases of heart (430-434)	659	16.3	554	105	223	94	331	
Hypertension with heart disease (440-443)	2,780	68.8	2,397	483	1,161	420	1,136	63
Hypertension w/o mention of heart (444-447)	477	11.8	402	75	192	64	210	11
Other diseases of circulatory system (450-468)	1,296	32.1	1,198	98	524	81	674	17
Influenza (480-483)	190	4.7	173	17	35	10	138	7
Lobar pneumonia 4 weeks (490)	523	12.9	418	105	180	87	238	18
Bronchopneumonia 4 weeks (491)	612	15.1	504	108	243	87	261	21
Pneumonia, other forms 4 weeks (492-493)	259	6.4	232	27	74	15	158	12
Bronchitis (500-502)	69	1.7	66	3	31	2	35	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	92	2.3	66	26	25	17	41	9
Gastro Enteritis and colitis, 2 years (571.1)	32	.8	28	4	13	2	15	2
Cirrhosis of liver (581)	432	10.7	394	38	263	37	131	1
Other diseases of digestive system (530-587 excl. above)	1,120	27.7	1,016	104	537	85	479	19
Nephritis and nephrosis (590-594)	891	22.0	777	114	341	80	436	34
Complications of pregnancy and puerperium (640-652; 670-689)	68	1.7	54	14	18	10	36	4
Congenital malformations (750-759)	533	13.2	494	39	247	34	247	5
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	540	13.4	467	73	262	56	205	17
Pneumonia of newborn (under 4 weeks) (763)	101	2.5	71	30	23	41	7	
Diarrhea of newborn (under 4 weeks) (764)	23	.6	14	9	5	8	9	1
Other infections of newborn (under 4 weeks) (765-769)	35	.9	31	4	12	2	19	2
Other diseases of early infancy (under 4 weeks) (770-776)	726	18.0	604	122	292	97	312	25
Senility, ill defined and unknown causes (780-795)	633	15.7	557	76	242	34	315	42
All other diseases (residual)	18,322	45.3	16,335	197	748	163	887	34
Motor vehicle accidents (810-835)	10,333	25.6	9,945	88	377	67	568	21
All other accidents (800-802; 840-965)	1,670	41.3	1,495	175	687	119	808	56
Suicide and self-inflicted injury (970-979)	411	10.2	399	12	184	10	215	2
Homicide (980-985)	200	4.9	96	104	53	88	43	16

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Adair inc. Kirksville		Andrew		Atchison		Audrain inc. Mexico	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	30,100		11,800		11,200		24,500	
LIVE BIRTHS	436	0	186	0	213	0	554	46
Attended by M.D.	186		140		205		398	30
Attended by D.O.	250		45		8		156	16
Attended by midwives								
Others or unspecified								
STILL BIRTHS	8	0	5	0	3	0	10	1
Attended by M.D.	2		3		3		7	
Attended by D.O.	6		2				3	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	209	1	123	0	95	0	217	14
Under one year of age	5		3		5		8	1
Neonatal deaths	4		2		4		5	
Maternal deaths			1		2			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3		2		2		4	
Tuberculosis, other forms (010-019)	1						1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)		2						
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1	1		
Malignant neoplasms (140-205)	27		21		10		27	
Benign and unspecified neoplasms (210-239)					1			
Diabetes mellitus (260)	3		3		1		3	
Anemias (290-293)	2							
Vascular lesions affecting central nervous system (330-334)	31		22		20		26	
Nonmeningococcal meningitis (340)	1							
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	4		4		1		3	
Arteriosclerotic and degenerative heart disease (420-422)	51		31		21		57	
Other diseases of heart (430-434)	1		2		1		4	
Hypertension with heart disease (440-443)	13		4		5		22	
Hypertension w/o mention of heart (444-447)	1		1		2		3	
Other diseases of circulatory system (450-468)	6		8		1		10	
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)	5		1		2		1	
Bronchopneumonia 4 weeks (491)	2				1		3	
Pneumonia, other forms 4 weeks (492-493)	1		1		1		4	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	5		1		1		2	
Nephritis and nephrosis (590-594)	13		1				6	
Complications of pregnancy and puerperium (640-652; 670-689)			1		2			
Congenital malformations (750-759)	2		2		3		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1							
Pneumonia of newborn (under 4 weeks) (763)					1		2	
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1				2		1	
Senility, ill defined and unknown causes (780-795)	2				3		5	
All other diseases (residual)	12		7		5		9	
Motor vehicle accidents (810-835)	9				3		2	
All other accidents (800-802; 840-965)	7		7		6		11	
Suicide and self-inflicted injury (970-979)	3		1		2		2	
Homicide (980-985)					1			

County Summary

3

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Barry		Barton		Bates		Benton	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	22,100		12,800		17,700		9,100	
LIVE BIRTHS								
Attended by M.D.	390	0	233	0	276	3	145	1
Attended by D.O.	282		228		221	3	56	
Attended by midwives	106		5		54		89	1
Others or unspecified	2							
STILLBIRTHS	5	0	6	0	4	0	4	0
Attended by M.D.	1		6		4		1	
Attended by D.O.	4						3	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	197	0	157	0	245	2	114	0
Under one year of age	5		4		9		7	
Neonatal deaths	3		3		8		6	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3		1					
Tuberculosis, other forms (010-019)								1
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	2		1					1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)	1							
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1						1	1
Malignant neoplasms (140-205)	23		22		18		15	
Benign and unspecified neoplasms (210-239)			2					
Diabetes mellitus (260)	3		2		3		3	
Anemias (290-293)							5	
Vascular lesions affecting central nervous system (330-334)	20		23		37	1	26	
Nonmeningococcal meningitis (340)	1							
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	3							
Arteriosclerotic and degenerative heart disease (420-422)	68		46		70		17	
Other diseases of heart (430-434)	4		2		2			
Hypertension with heart disease (440-443)	6		10		19		7	
Hypertension w/o mention of heart (444-447)	4		1		4		1	
Other diseases of circulatory system (450-468)	4		3		7		4	
Influenza (480-483)	1							
Lobar pneumonia 4 weeks (490)	1							
Bronchopneumonia 4 weeks (491)	1		3		2			
Pneumonia, other forms 4 weeks (492-493)	4		3		4		2	
Bronchitis (500-502)	3							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	2		1					
Other diseases of digestive system (530-587 excl. above)	5		5		7		2	
Nephritis and nephrosis (590-594)	5		1		13		4	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	1							
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1							
Pneumonia of newborn (under 4 weeks) (763)	1							
Diarrhea of newborn (under 4 weeks) (764)	1							
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2		2		4		2	
Senility, ill defined and unknown causes (780-795)	3		2				6	
All other diseases (residual)	8		3		9	1	5	
Motor vehicle accidents (810-835)	7		10		12		2	
All other accidents (800-802; 840-965)	9		8		14		5	
Suicide and self-inflicted injury (970-979)	1		1					
Homicide (980-985)	1							

County Summary

4

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Bollinger		Boone inc. Columbia		Buchanan inc. St. Joseph		Butler inc. Poplar Bluff	
	White	Colored	White	Colored	White	Colored	White	Colored
	Total Estimated Population, July 1, 1951		11,100	49,400	98,800	38,500		
LIVE BIRTHS								
Attended by M.D.	203	0	883	81	1819	67	819	70
Attended by D.O.	103		828	76	1612	66	682	33
Attended by midwives	96		54	2	204	1	99	19
Others or unspecified	2		1	1	2		21	10
STILLBIRTHS								
Attended by M.D.	3	0	9	0	33	0	17	1
Attended by D.O.	2		9		29		16	1
Attended by midwives	1				4			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	116	0	367	59	10,52	44	344	38
Neonatal deaths	4		15	3	57	2	31	1
Maternal deaths	3		10	2	36	1	20	
					1		1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		6	1	8	2	9	
Tuberculosis, other forms (010-019)			1		1			
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1		2	1	8	3	1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)			1					
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					2		1	
Acute infectious encephalitis (082)								
Measles (085)					1			
Rabies (094)					1			
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1	1	1	1
Malignant neoplasms (140-205)	14		60	11	166	5	36	4
Benign and unspecified neoplasms (210-239)					1		1	
Diabetes mellitus (260)	1		5		14		3	
Anemias (290-293)			3		3		1	
Vascular lesions affecting central nervous system (330-334)	20		41	11	151	5	39	11
Nonmeningococcal meningitis (340)					3			
Rheumatic fever (400-402)					1		1	
Chronic rheumatic heart disease (410-416)	1		7		16	5	1	
Arteriosclerotic and degenerative heart disease (420-422)	32		100	9	328	6	80	7
Other diseases of heart (430-434)	3		2	1	11	1	3	
Hypertension with heart disease (440-443)	3		20	8	41	3	39	7
Hypertension w/o mention of heart (444-447)	3		9		11			
Other diseases of circulatory system (450-468)	6		18	2	27	1	3	
Influenza (480-483)	4		1		5	1	2	
Lobar pneumonia 4 weeks (490)	2				11	1	14	3
Bronchopneumonia 4 weeks (491)					22	1	6	
Pneumonia, other forms 4 weeks (492-493)			2	1	3		4	
Bronchitis (500-502)	1		1		2		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1		2		3	
Gastro Enteritis and colitis, 2 years (571.1)			1		2			
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	4		2		11		2	
Nephritis and nephrosis (590-594)	2		10		25		8	
Complications of pregnancy and puerperium (640-652; 670-689)			12	3	13	1	5	2
Congenital malformations (750-759)			9		12			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		4	1	14		5	
Pneumonia of newborn (under 4 weeks) (763)	1				3	1	4	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)					1	12	9	
Senility, ill defined and unknown causes (780-795)					1	3	4	
All other diseases (residual)	4		21	3	42	3	18	
Motor vehicle accidents (810-835)	4		8	2	17		13	
All other accidents (800-802; 840-965)	2		11		43	3	17	1
Suicide and self-inflicted injury (970-979)	2		3		14	1		
Homicide (980-985)					3		1	

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Carroll		Carter		Case		Cedar	
	White	Colored	White	Colored	White	Colored	White	Colored
	Total Estimated Population, July 1, 1951	15,800	4,700	19,600	10,700			
LIVE BIRTHS								
Attended by M.D.	375	4	96	0	365	6	180	0
Attended by D.O.	224	4	55	5	284	5	119	
Attended by midwives	51		33		81	1	60	
Others or unspecified			3				1	0
STILLBIRTHS								
Attended by M.D.	6	1	1	0	7	1	1	0
Attended by D.O.	5	1	1		5	1	1	
Attended by midwives	1				2			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	212	9	63	0	217	3	135	0
Neonatal deaths	19	2	2		10	1	8	
Maternal deaths	6	2	1		8	1	6	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)					2		2	
Tuberculosis, other forms (010-019)		1						
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)		1						
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)							1	
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)							2	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	33	2	11		34		21	
Benign and unspecified neoplasms (210-239)	1							
Diabetes mellitus (260)	2	1			5		1	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	51		11		31	2	18	
Nomeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	4		1		3		2	
Arteriosclerotic and degenerative heart disease (420-422)	40	1	11		58		37	
Other diseases of heart (430-434)	6		1		3		5	
Hypertension with heart disease (440-443)	4		5		7		4	
Hypertension w/o mention of heart (444-447)	3		2		2		1	
Other diseases of circulatory system (450-468)	4		1		15		3	
Influenza (480-483)	1		1		1		3	
Lobar pneumonia 4 weeks (490)	1		2		1		4	
Bronchopneumonia 4 weeks (491)	2		2		2		2	
Pneumonia, other forms 4 weeks (492-493)	3				1			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)					1			
Other diseases of digestive system (530-587 excl. above)	3	1			6		2	
Nephritis and nephrosis (590-594)	6		2		3		6	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	4				1		2	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	3	1			2	1	2	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)			1					
Other diseases of early infancy (under 4 weeks) (770-776)	1		1		4		4	
Sensility, ill defined and unknown causes (780-795)	5	2	2		6		6	
All other diseases (residual)	5		3		6		5	
Motor vehicle accidents (810-835)	6				6		1	
All other accidents (890-902; 840-965)	7		2		10		4	
Suicide and self-inflicted injury (970-979)	4				7			
Homicide (980-985)	1							

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Chariton		Christian		Clark		Clay	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	15,100		13,700		9,100		51,000	
LIVE BIRTHS	231	24	241	0	172	0	1222	17
Attended by M.D.	150	13	166		140		1113	13
Attended by D.O.	81	11	71		32		109	4
Attended by midwives				1				
Others or unspecified				3				
STILLBIRTHS	4	2	3	0	2	0	10	2
Attended by M.D.	2	2	1		2		7	1
Attended by D.O.		2		2			3	1
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	165	25	127	0	126	0	390	17
Under one year of age	6	4	5		6		18	
Neonatal deaths	5	4	3		4		14	
Maternal deaths			2					
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)			1	3				7
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1					1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			1					
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)				1				
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	27	3	25		16		60	5
Benign and unspecified neoplasms (210-239)	1				1		1	
Diabetes mellitus (260)	5		1		2		2	2
Anæmia (290-293)								
Vascular lesions affecting central nervous system (330-334)	30	3	13		15		57	2
Nonmeningococcal meningitis (340)							1	
Rheumatic fever (400-402)								1
Chronic rheumatic heart disease (410-416)	1	1						
Arteriosclerotic and degenerative heart disease (420-422)	52	3	34		33		109	1
Other diseases of heart (430-434)	3		2		2		7	
Hypertension with heart disease (440-443)	8	1	3		4		13	1
Hypertension w/o mention of heart (444-447)	5		6					
Other diseases of circulatory system (450-468)	4		7		4		23	
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)	1	1	1		2		2	
Bronchopneumonia 4 weeks (491)	4		4				1	
Pneumonia, other forms 4 weeks (492-493)	1		2		4		3	2
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571,0)								1
Gastro Enteritis and colitis, 2 years (571,1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	2	1	1		2		4	
Nephritis and nephrosis (590-594)	4	2	2		3		7	
Complications of pregnancy and puerperium (640-652; 670-689)	2							
Congenital malformations (750-759)								
Birth injuries, asphyxia, (under 4 weeks.) (760-762)								
Pneumonia of newborn (under 4 weeks) (763)	2	1	1		1		10	
Diarrhea of newborn (under 4 weeks) (764)								2
Other infections of newborn (under 4 weeks) (765-769)	1							
Other diseases of early infancy (under 4 weeks) (770-776)	4	2	1		2		7	
Sensility, ill defined and unknown causes (780-795)	1		1		1		5	3
All other diseases (residual)	6		4		10		15	1
Motor vehicle accidents (810-835)	1		2		2			
All other accidents (800-802; 840-865)	3	2	6		9		6	2
Suicide and self-inflicted injury (970-979)								
Homicide (980-985)					1		5	

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Clinton		Cole inc. Jefferson City		Cooper		Crawford	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	11,900		36,000		16,800		11,800	
LIVE BIRTHS	230	9	703	24	276	26	242	0
Attended by M.D.	174	6	636	22	248	24	156	
Attended by D.O.	54	3	67	1	28	2	82	
Attended by midwives							1	
Others or unspecified	2		1		1		3	
STILLBIRTHS	3	1	11	0	8	4	4	0
Attended by M.D.	2	1	10		7	4	2	
Attended by D.O.					1		2	
Attended by midwives								
Others or unspecified	1		1					
TOTAL DEATHS	179	4	299	17	170	28	134	0
Under one year of age	10	1	18		3	2	12	
Neonatal deaths	7	1	15		3	2	10	
Maternal deaths	1		1					
CAUSES OF DEATH					3	1	1	
Tuberculosis of respiratory system (001-008)					1			
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1	1	2	
Malignant neoplasms (140-205)	36	1	29	4	19	4	20	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	3		2		4	1	2	
Anemias (290-293)	1		1					
Vascular lesions affecting central nervous system (330-334)	28		27	3	21	4	16	
Nonmeningococcal meningitis (340)					1			
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	3		5				5	
Arteriosclerotic and degenerative heart disease (420-422)	46	1	97	4	52	5	33	
Other diseases of heart (430-434)	2		3		4	2	2	
Hypertension with heart disease (440-443)	8		26	3	8		2	
Hypertension w/o mention of heart (444-447)	2		5		3		1	
Other diseases of circulatory system (450-468)	6		9	1	4	4	8	
Influenza (480-483)	1				1		2	
Lobar pneumonia 4 weeks (490)	2	1	3		2		4	
Bronchopneumonia 4 weeks (491)	1				6	1	3	
Pneumonia, other forms 4 weeks (492-493)					1		2	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1					
Gastro Enteritis and colitis, 2 years (571.1)	2		6					
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	3		8	1	7		1	
Nephritis and nephrosis (590-594)	2		7		4	2	2	
Complications of pregnancy and puerperium (640-652; 670-689)	1		1					
Congenital malformations (750-759)	2		5		1	1	1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1	1	5		2	1	5	
Pneumonia of newborn (under 4 weeks) (763)	1							
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	4		7		1		3	
Senility, ill defined and unknown causes (780-795)	1		4		4		1	
All other diseases (residual)	12		14		9		3	
Motor vehicle accidents (810-835)	1		6		5		7	
All other accidents (800-802; 840-965)	6		13		7	3	4	
Suicide and self-inflicted injury (970-979)	2		7		2			
Homicide (980-985)					1	2	1	

Births, Stillbirths and Specified Causes of Death by Residence - 51

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Dent		Douglas		Dunklin		Franklin	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	11,100		12,900		46,200		37,400	
LIVE BIRTHS								
Attended by M.D.	198	0	276	0	967	35	807	7
Attended by D.O.	124		132		727	13	772	5
Attended by midwives	41		137		216	9	33	2
Others or unspecified	28		2		9	13		
STILLBIRTHS								
Attended by M.D.	5		5		15		2	
Attended by D.O.	2	0	6	0	20	1	14	0
Attended by midwives	1		6		13	1	13	
Others or unspecified					6		1	
TOTAL DEATHS	117	0	97	0	377	15	370	7
Under one year of age	6		11		40	3	19	
Neonatal deaths	4		8		23	2	14	
Maternal deaths	1				1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3		3		10			
Tuberculosis, other forms (010-019)					1			
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					5	1	1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)	1							
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)			1					
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)							1	
Whooping cough (056)					1	3		
Meningococcal infections (057)								2
Tularemia (059)								
Tetanus (061)							2	
Acute poliomyelitis (080)							2	
Acute infectious encephalitis (082)								
Measles (085)							1	
Rabies (094)	1							
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1			
Malignant neoplasms (140-205)	20		9		53		51	2
Benign and unspecified neoplasms (210-239)	1				1		1	2
Diabetes mellitus (260)	1		2		2		5	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	15		15		58	1	45	
Nomeningoococcal meningitis (340)								
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)					4	1	3	
Arteriosclerotic and degenerative heart disease (420-422)	29		23		86	3	112	4
Other diseases of heart (430-434)			2		11		10	
Hypertension with heart disease (440-443)	9		4		22	3	22	
Hypertension w/o mention of heart (444-447)					2		3	
Other diseases of circulatory system (450-468)	2		4		2		13	
Influenza (480-483)	2		2				3	
Lobar pneumonia 4 weeks (490)	2				6		1	
Bronchopneumonia 4 weeks (491)	2				6		6	
Pneumonia, other forms 4 weeks (492-493)	3				1		4	
Bronchitis (500-502)	2		1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					2	1	1	
Gastro Enteritis and colitis, 2 years (571.1)							1	
Cirrhosis of liver (581)					3		2	
Other diseases of digestive system (530-587 excl. above)	1		2		8	1	6	
Nephritis and nephrosis (590-594)	3		4		9	1	1	
Complications of pregnancy and puerperium (640-652; 670-689)	1				1			
Congenital malformations (750-759)	1		2		6		4	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		2		6		4	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)					1		1	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3		2		12	2	10	
Senility, ill defined and unknown causes (780-795)					5	2	3	
All other diseases (residual)	3		5		18		23	
Motor vehicle accidents (810-835)	4		3		12		9	
All other accidents (800-802; 840-965)	7		2		14		14	
Suicide and self-inflicted injury (970-979)					3		4	
Homicide (980-985)					1			

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Gasconade		Gentry		Greene Inc. Springfield		Grundy	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	12,600		11,100		107,500		13,400	
LIVE BIRTHS								
Attended by M.D.	219	0	207	0	2296	36	261	0
Attended by D.O.	198		71		2128	36	243	
Attended by midwives	21		136		166		18	
Others or unspecified					1			
STILLBIRTHS								
Attended by M.D.	4	0	1	0	34	2	4	0
Attended by D.O.	3		1		32	2	4	
Attended by midwives					2			
Others or unspecified								
TOTAL DEATHS								
Under one year of age	151	0	129	0	986	30	184	3
Neonatal deaths	1		4		58	3	8	
Maternal deaths			4		47	1	5	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1				14	3	2	
Tuberculosis, other forms (010-019)					1		1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					2		1	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)						2		
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)						1		
Acute infectious encephalitis (082)							3	
Measles (085)						2		
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1	3		
Malignant neoplasms (140-205)	16		25		141		26	
Benign and unspecified neoplasms (210-239)					3			
Diabetes mellitus (260)	2				13		2	
Anemias (290-293)					2		1	
Vascular lesions affecting central nervous system (330-334)	30		15		112	9	22	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)	1		1		1			
Chronic rheumatic heart disease (410-416)					9	1	6	
Arteriosclerotic and degenerative heart disease (420-422)	46		43		310	3	54	
Other diseases of heart (430-434)					8	2	4	
Hypertension with heart disease (440-443)	6		3		73	1	11	
Hypertension w/o mention of heart (444-447)	1		4		10		2	
Other diseases of circulatory system (450-468)	5		5		45	1	10	
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)	1		2		1		3	
Bronchopneumonia 4 weeks (491)	1				15	1	1	
Pneumonia, other forms 4 weeks (492-493)	1		1		4		1	
Bronchitis (500-502)					1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1			
Gastro Enteritis and colitis, 2 years (571.1)					2			
Cirrhosis of liver (581)					7			
Other diseases of digestive system (530-587 excl. above)	3		5		19	1	7	
Nephritis and nephrosis (590-594)	8		3		12		4	
Complications of pregnancy and puerperium (640-652; 670-689)					1			
Congenital malformations (750-759)	1		1		13		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1				10	1	1	
Pneumonia of newborn (under 4 weeks) (763)					6			
Diarrhea of newborn (under 4 weeks) (764)					1			
Other infections of newborn (under 4 weeks) (765-769)					1			
Other diseases of early infancy (under 4 weeks) (770-776)					2	14	1	
Senility, ill defined and unknown causes (780-795)	2		1		7		2	
All other diseases (residual)	9		4		29	4	6	
Motor vehicle accidents (810-835)	6		2		31		2	
All other accidents (890-902; 840-965)	2		5		25		6	
Suicide and self-inflicted injury (970-979)	2				8	1		
Homicide (980-985)	1				4	1	4	

County Summary

15

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

* Carthage Joplin (Part)	Jasper inc. cities noted*		Jefferson		Johnson		Knox	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	80,800		39,200		21,000		7,700	
LIVE BIRTHS								
Attended by M.D.	1645	19	978	23	315	9	143	0
Attended by D.O.	1379	18	906	23	302	9	53	0
Attended by midwives	265	1	72		13		90	
STILLBIRTHS	32	0	10	1	5	0	3	0
Attended by M.D.	23		8	1	5		1	
Attended by D.O.	9		1				2	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	1018	16	395	11	245	10	98	2
Under one year of age	49		28		6	1	3	
Neonatal deaths	27		17		3		3	
Maternal deaths	2		1					
CAUSES OF DEATH			39	4	3			
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)		1						
Syphilis, age 1 year and over (020-029)		10		3				
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)			1					
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)		1		1				
Tularemia (059)								
Tetanus (061)		1						
Acute poliomyelitis (080)				1				
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	5		1					
Malignant neoplasms (140-205)	152	3	53	2	39	3	17	
Benign and unspecified neoplasms (210-239)	1							
Diabetes mellitus (260)	17	1	7		4		1	
Anemias (290-293)	2	1			1			
Vascular lesions affecting central nervous system (330-334)	106	4	35		34		6	1
Nonmeningococcal meningitis (340)	2							
Rheumatic fever (400-402)	1		1					
Chronic rheumatic heart disease (410-416)	10		8					
Arteriosclerotic and degenerative heart disease (420-422)	290	3	109	2	86	3	25	
Other diseases of heart (430-434)	11		8		4	1	2	
Hypertension with heart disease (440-443)	61		26		18		14	
Hypertension w/o mention of heart (444-447)	9		7		2		1	
Other diseases of circulatory system (450-468)	25	1	9		12		5	
Influenza (480-483)	7		3					
Lobar pneumonia 4 weeks (490)	15		7		1			
Bronchopneumonia 4 weeks (491)	8		5	1	2			
Pneumonia, other forms 4 weeks (492-493)	5	1	1		2			
Bronchitis (500-502)	1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	2		1					
Gastro Enteritis and colitis, 2 years (571.1)	1							
Cirrhosis of liver (581)	6		5					
Other diseases of digestive system (530-587 excl. above)	36		9		9		4	
Nephritis and nephrosis (590-594)	27	1	6		5		5	
Complications of pregnancy and puerperium (640-652; 670-689)	2		1					
Congenital malformations (750-759)	12		7		1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	8		4		3		1	
Pneumonia of newborn (under 4 weeks) (763)	1							
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)				2				
Other diseases of early infancy (under 4 weeks) (770-776)	10		9				2	
Senility, ill defined and unknown causes (780-795)	8		10	1	7	1	2	
All other diseases (residual)	48	1	12	1	4	1	2	
Motor vehicle accidents (810-835)	28		15		4		1	
All other accidents (800-802; 840-965)	41		22	2	4		3	
Suicide and self-inflicted injury (970-979)	6		4		3		2	
Homicide (980-985)	1							

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Laclede		Lafayette		Lawrence		Lewis	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	19,400		25,700		23,800		10,800	
LIVE BIRTHS								
Attended by M.D.	398	4	521	25	436	0	142	9
Attended by D.O.	377	4	476	21	408		106	7
Attended by midwives	15		45	4	28		36	2
Others or unspecified	3							
STILLBIRTHS	8	0	8	0	1	0	3	0
Attended by M.D.	7		6		1		.3	
Attended by D.O.				2				
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	181	2	283	30	291	1	132	3
Under one year of age	11		11	1	9		3	
Neonatal deaths	6		10	1	7		3	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)								
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)							1	
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)			1					
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1				1	
Malignant neoplasms (140-205)	24		38	5	42			
Benign and unspecified neoplasms (210-239)	1		2		1		25	
Diabetes mellitus (260)			1	2				
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	10		33	4	32		26	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	64		95	10	76	1	34	
Other diseases of heart (430-434)	7		3		13			
Hypertension with heart disease (440-443)	18		23	1	13		7	1
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	5		14	2	2			
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)			1		1			
Bronchopneumonia 4 weeks (491)			2		7		2	
Pneumonia, other forms 4 weeks (492-493)	3		2		4		1	
Bronchitis (500-502)							2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	3		1					
Nephritis and nephrosis (590-594)	6		2	1	10			
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	4		1		1			
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		4		1		3	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	1		6	1	4			
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	3		5		4		4	
Motor vehicle accidents (810-835)	8		9		12		6	
All other accidents (800-802; 840-965)	7		7		11			
Suicide and self-inflicted injury (970-979)	5	1	17	2	8		5	
Homicide (980-985)	3		1		1			

County Summary

16

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Lincoln		Linn		Livingston		McKinawld	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	13,700		19,100		16,800		14,400	
LIVE BIRTHS	267	12	306	6	338	5	247	0
Attended by M. D.	233	12	198	3	279	5	139	
Attended by D. O.	34		108	3	59		106	
Attended by midwives								
Others or unspecified	3	0	8	0	3	0	6	0
STILLBIRTHS	2		4		3		1	
Attended by M. D.	1		4				5	
Attended by D. O.								
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	168	9	221	6	196	8	143	0
Under one year of age	10		9	1	11		5	
Neonatal deaths	5		7		6		2	
Maternal deaths								
CAUSES OF DEATH							1	2
Tuberculosis of respiratory system (001-008)		2						
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)							1	
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								1
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)							1	
Tularemia (059)								
Tetanus (061)							3	
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	25	2	34		27		1	24
Benign and unspecified neoplasms (210-239)							2	
Diabetes mellitus (260)	2	1	6	1	1			4
Anemias (290-293)	1						1	
Vascular lesions affecting central nervous system (330-334)	21	1	33		35		1	17
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								1
Chronic rheumatic heart disease (410-416)							4	
Arteriosclerotic and degenerative heart disease (420-422)	59		62	1	58	2	38	
Other diseases of heart (430-434)	2	1	4	1	4		4	
Hypertension with heart disease (440-443)	18		5		1			7
Hypertension w/o mention of heart (444-447)	1	1	1		2			1
Other diseases of circulatory system (450-468)	2		15		4	1	4	
Influenza (480-483)								2
Lobar pneumonia 4 weeks (490)								4
Bronchopneumonia 4 weeks (491)	3				2		2	
Pneumonia, other forms 4 weeks (492-493)	1				4		3	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1		1	1				1
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)							2	
Other diseases of digestive system (530-587 excl. above)	4		5		8		7	
Nephritis and nephrosis (590-594)	1	11			2		5	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	3		1		1			2
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			2		3			
Pneumonia of newborn (under 4 weeks) (763)	1				1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)	2		1		1			1
Other diseases of early infancy (under 4 weeks) (770-776)	2		2		1			
Sensit, ill defined and unknown causes (780-795)	1		2		3		1	
All other diseases (residual)	8	1	19		8	1		
Motor vehicle accidents (810-835)	5		2		8		8	
All other accidents (800-802; 840-965)	6	1	6	1	7			
Suicide and self-inflicted injury (970-979)			2		1			
Homicide (980-985)					1	1	1	

County Summary

17

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Macon		Madison		Maries		Marion inc. Hannibal (Part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	18,500		10,600		7,600		30,100	
LIVE BIRTHS								
Attended by M.D.	300	8	179	0	167	0	544	38
Attended by D.O.	143	3	121		69		524	36
Attended by midwives	156	5	57		98		20	2
Others or unspecified			1					
STILLBIRTHS								
Attended by M.D.	1	0	4	0	4	0	17	1
Attended by D.O.	1		2		3		15	
Attended by midwives			2		1		2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	235	11	80	1	89	0	335	29
9	2	3			3		8	1
Neonatal deaths	7	2	2		1		6	
Maternal deaths					1			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)		2			2		1	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Yphus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	1
Malignant neoplasms (140-205)	35	2	11		14		47	4
Benign and unspecified neoplasms (210-239)	3							
Diabetes mellitus (260)	3				2		5	
Anemias (290-293)	1						2	
Vascular lesions affecting central nervous system (330-334)	39		11	1	11		41	4
Nommeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	1						3	
Arteriosclerotic and degenerative heart disease (420-422)	70	3	19		17		117	11
Other diseases of heart (430-434)					1		4	
Hypertension with heart disease (440-443)	9		3		2		8	2
Hypertension w/o mention of heart (444-447)	1		1		1		3	
Other diseases of circulatory system (450-468)	9				6		7	
Influenza (480-483)					2			
Lobar pneumonia 4 weeks (490)	2		2				8	
Bronchopneumonia 4 weeks (491)	4		2		2		8	
Pneumonia, other forms 4 weeks (492-493)	1		1		2		4	1
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	2						1	
Other diseases of digestive system (530-587 excl. above)	8						7	
Nephritis and nephrosis (590-594)	4	1	3		3		11	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	1						3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	4						1	
Pneumonia of newborn (under 4 weeks) (763)					1			
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	3	1	1		1		3	1
Senility, ill defined and unknown causes (780-795)	4		1		2		8	
All other diseases (residual)	14		5		6		22	
Motor vehicle accidents (810-835)	4	1	4		2		3	
All other accidents (800-802; 840-965)	8	2	6		5		9	
Suicide and self-inflicted injury (970-979)	2				1		7	
Homicide (980-985)	1							

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Mercer		Miller		Mississippi		Moniteau	
	White	Colored	White	Colored	White	Colored	White	Colored
	Total Estimated Population, July 1, 1951		14,000		23,100		14,900	
LIVE BIRTHS	125	0	303	0	472	164	207	4
Attended by M. D.	47		93		302	26	149	1
Attended by D. O.	78		210		162	46	58	3
Attended by midwives					7	88		
Others or unspecified	2	0	9	0	12	9	2	0
STILLBIRTHS	1	0	4		7	3	1	
Attended by M. D.	1		5		4	2	1	
Attended by D. O.					4			
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	106	0	144	0	157	74	156	4
Under one year of age	11		5		16	17	10	
Neonatal deaths	7		5		10	10	9	
Maternal deaths					1			
CAUSES OF DEATH			3		2	1	4	
Tuberculosis of respiratory system (001-008)	1							
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)								
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)								
Malignant neoplasms (140-205)	18		23		23	5	13	2
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	1		2		1	1	2	
Anemias (290-293)			2					
Vascular lesions affecting central nervous system (330-334)	6		14		27	12	22	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)	1		2					
Arteriosclerotic and degenerative heart disease (420-422)	27		35		39	7	58	1
Other diseases of heart (430-434)			1		2	1		
Hypertension with heart disease (440-443)	16		17		6	1	7	
Hypertension w/o mention of heart (444-447)			1					
Other diseases of circulatory system (450-468)	1		2		1		8	
Influenza (480-483)					4	3		
Lobar pneumonia 4 weeks (490)	2		2		2	3	4	
Bronchopneumonia 4 weeks (491)	3		2					
Pneumonia, other forms 4 weeks (492-493)	1		1					
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1				2	1		
Gastro Enteritis and colitis, 2 years (571.1)						2		
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	2		3		4	2	3	
Nephritis and nephrosis (590-594)	5		3		1	5		
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	2							
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	2		2					
Pneumonia of newborn (under 4 weeks) (763)	1							
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	4		2		7	3	5	
Sensility, ill defined and unknown causes (780-795)			1			3		
All other diseases (residual)	3		7		3	5	3	
Motor vehicle accidents (810-835)	2		5		5	2	3	
All other accidents (800-802; 840-865)	4		8		16	8	11	
Suicide and self-inflicted injury (970-979)			3					
Homicide (980-985)	2		2					

County Summary

19

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Monroe		Montgomery		Morgan		New Madrid Inc. Biketon (Part)	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	11,400		11,700		10,300		40,400	
LIVE BIRTHS	185	12	196	11	166	2	479	217
Attended by M. D.	144	8	116	1	125	2	373	63
Attended by D. O.	41	4	80	10	40		80	10
Attended by midwives					1		17	131
Others or unspecified							9	13
STILLBIRTHS	3	0	2	0	3	0	12	7
Attended by M. D.	3		2		1		12	5
Attended by D. O.								1
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	142	5	147	11	125	4	241	84
Under one year of age	4		4		7		36	21
Neonatal deaths	4		2		5		20	9
Maternal deaths	1				1			1
CAUSES OF DEATH					1	2	3	1
Tuberculosis of respiratory system (001-008)	2							
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)							1	2
Meningococcal infections (057)							1	1
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)								2
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)							1	
Malignant neoplasms (140-205)	17	1	33	1	10		31	6
Benign and unspecified neoplasms (210-239)					1			
Diabetes mellitus (260)	2		5					3
Anemias (290-293)	1		2					1
Vascular lesions affecting central nervous system (330-334)	12	11	2	23	1	22	10	
Nonmeningoococcal meningitis (340)								
Rheumatic fever (400-402)								1
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	54	2	43	5	33	1	43	2
Other diseases of heart (430-434)					1		8	3
Hypertension with heart disease (440-443)	7	1	15		5		11	2
Hypertension w/o mention of heart (444-447)	2							
Other diseases of circulatory system (450-468)	2		4		7	1	4	1
Influenza (480-483)	1		1					2
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)							1	5
Pneumonia, other forms 4 weeks (492-493)							2	4
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								4
Cirrhosis of liver (581)								2
Other diseases of digestive system (530-587 excl. above)	5						2	
Nephritis and nephrosis (590-594)	6		8	1	2		8	1
Complications of pregnancy and puerperium (640-652; 670-689)	1				1			
Congenital malformations (750-759)	1		2				8	3
Birth injuries, asphyxia, (under 4 weeks) (760-762)			1		4		5	
Pneumonia of newborn (under 4 weeks) (763)								2
Diarrhea of newborn (under 4 weeks) (764)								1
Other infections of newborn (under 4 weeks) (765-769)	1		1					
Other diseases of early infancy (under 4 weeks) (770-776)	1						8	2
Senility, ill defined and unknown causes (780-799)	4		2		2		6	
All other diseases (residual)	10		7		2		14	3
Motor vehicle accidents (810-835)	5	1	2		4	1	11	4
All other accidents (890-902; 940-965)	5		2	1	6		17	9
Suicide and self-inflicted injury (970-979)			1					1
Homicide (980-985)					1			2

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Newton inc. Joplin (Part)		Nodaway		Oregon		Osage	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	28,800		24,200		12,200		11,500	
LIVE BIRTHS								
Attended by M. D.	548	3	569	0	718	0	217	0
Attended by D. O.	420	2	464		749		155	
Attended by midwives	126	1	105		58		62	
Others or unspecified	2				7			
STILLBIRTHS								
Attended by M. D.	5	1	5	0	2	0	1	1
Attended by D. O.	4	1	3		2			
Attended by midwives	1		2					
Others or unspecified								
TOTAL DEATHS	292	3	295	0	93	0	103	1
Under one year of age	20		15		2		2	
Neonatal deaths	16		10		1		1	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	7		3		2		1	
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	2	1	1					
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Anemic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)					1			
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)					1			
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)					1		1	
Acute infectious encephalitis (082)			1					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1				1	
Malignant neoplasms (140-205)	44		40		13		18	
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	5		6		1		2	
Anemias (290-293)	2		1					
Vascular lesions affecting central nervous system (330-334)	27		45		12		15	
Nonmeningococcal meningitis (340)	1							
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	6		6		2		3	
Arteriosclerotic and degenerative heart disease (420-422)	70		90		28		26	
Other diseases of heart (430-434)	4		9		2		4	
Hypertension with heart disease (440-443)	26	1	7		9		9	
Hypertension w/o mention of heart (444-447)	3							
Other diseases of circulatory system (450-466)	7		13		1		2	
Influenza (480-483)	4		2					
Lobar pneumonia 4 weeks (490)	2		3		1		2	
Bronchopneumonia 4 weeks (491)	2				1		1	
Pneumonia, other forms 4 weeks (492-493)	2		3		1			
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)	1							
Cirrhosis of liver (581)	2							
Other diseases of digestive system (530-537 excl. above)	3		9		2			
Nephritis and nephrosis (590-594)	8		6		1			
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	3		7		1		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	5		2					
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)	3							
Other diseases of early infancy (under 4 weeks) (770-776)	8		3					
Seizures, ill defined and unknown causes (780-795)	5		3					
All other diseases (residual)	12		13		5		5	
Motor vehicle accidents (810-835)	7		10		3			
All other accidents (890-902; 940-965)	7		10		6		9	
Suicide and self-inflicted injury (970-979)	4				2		2	
Homicide (980-985)	1		1					

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Ozark		Pemiscot		Perry		Pettis inc. Sedalia	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	9,000		46,600		15,100		32,200	
LIVE BIRTHS								
Attended by M.D.	191	0	817	291	359	0	554	40
Attended by D.O.	67		696	77	336		454	40
Attended by midwives	118		93	21	23		100	
Others or unspecified	1		18	185				
STILLBIRTHS	2	0	10	6	6	0	13	2
Attended by M.D.					10	4	10	2
Attended by D.O.					2		3	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	64	0	263	141	117	0	367	46
Under one year of age	1		44	23	11		23	1
Neonatal deaths				26	11	9		
Maternal deaths	1		1				17	1
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	1		7	5	3		5	
Tuberculosis, other forms (010-019)				1				
Syphilis, under 1 year (020-029)			1	1				
Syphilis, age 1 year and over (020-029)				3	1			3
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)					1			
Amebic dysentery (046)								1
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)					1	1		
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)					1			
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1	1		
Malignant neoplasms (140-205)	10		35	12	26		61	7
Benign and unspecified neoplasms (210-239)				1				
Diabetes mellitus (260)	2		1	1	1		6	1
Anemias (290-293)	1		1					
Vascular lesions affecting central nervous system (330-334)	6		31	15	14		43	5
Nonmeningococcal meningitis (340)	2		1					
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)				1	1	2		
Arteriosclerotic and degenerative heart disease (420-422)	14		44	21	23		112	14
Other diseases of heart (430-434)	7		6	2			5	
Hypertension with heart disease (440-443)	1		12	15	10		29	3
Hypertension w/o mention of heart (444-447)	1		2				4	
Other diseases of circulatory system (450-468)	1		2	1	6		8	
Influenza (480-483)			2	1				5
Lobar pneumonia 4 weeks (490)	1		4	2	1		3	
Bronchopneumonia 4 weeks (491)	2		7	4	1		7	
Pneumonia, other forms 4 weeks (492-493)	1		7	3	1		2	1
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			5	2				
Gastro Enteritis and colitis, 2 years (571.1)			2					
Cirrhosis of liver (581)			4		2		1	1
Other diseases of digestive system (530-587 excl. above)			7	3	2		3	
Nephritis and nephrosis (590-594)	4		8	2	1		7	3
Complications of pregnancy and puerperium (640-652; 670-689)	1		1					
Congenital malformations (750-759)	1		5	3	3		3	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			5	3	3		9	
Pneumonia of newborn (under 4 weeks) (763)			1	1				
Diarrhea of newborn (under 4 weeks) (764)			1					1
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)			12	5	4		4	
Senility, ill defined and unknown causes (780-795)			10	18	5		1	
All other diseases (residual)	4		12	4	3		12	-3
Motor vehicle accidents (810-835)	2		9	1	1		8	
All other accidents (800-802; 840-965)	2		8	7	5		16	
Suicide and self-inflicted injury (970-979)			1					
Homicide (980-985)			4	3			7	

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Phelps		Pike		Platte		Polk	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	22,100		17,200		15,300		16,200	
LIVE BIRTHS								
Attended by M.D.	519	0	350	30	327	8	283	0
Attended by D.O.	384		277	26	314	8	213	
Attended by midwives	124		68	4	13		67	
Others or unspecified	11		5				.3	
STILLBIRTHS								
Attended by M.D.	7	0	4	1	3	0	.3	0
Attended by D.O.	5		3	1	2		.3	
Attended by midwives	2		1		1			
Others or unspecified								
TOTAL DEATHS	240	1	182	25	133	4	175	0
Under one year of age	15		6	1	8	2	6	
Neonatal deaths	11		5	1	5		4	
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		5		2		3	
Tuberculosis, other forms (010-019)	1						1	
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)					1	1		
Typhoid fever (040)			1					
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)			3					
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1					1		
Malignant neoplasms (140-205)	28		29	1	20		21	
Benign and unspecified neoplasms (210-239)	2				1		1	
Diabetes mellitus (260)	4		2		3		1	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	33		19		19	1	22	
Nonmeningoococcal meningitis (340)								
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	5							
Arteriosclerotic and degenerative heart disease (420-422)	63	1	50	10	42		65	
Other diseases of heart (430-434)			3		1		3	
Hypertension with heart disease (440-443)	15		19	3	5		6	
Hypertension w/o mention of heart (444-447)	1					1		
Other diseases of circulatory system (450-468)	14		9	1	7		12	
Influenza (480-483)	1						1	
Lobar pneumonia 4 weeks (490)	2		1	1			2	
Bronchopneumonia 4 weeks (491)	3		2	2	2		4	
Pneumonia, other forms 4 weeks (492-493)	6		1	1			5	
Bronchitis (500-502)			1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)						1		
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)	3							
Other diseases of digestive system (530-587 excl. above)	3		6		4		5	
Nephritis and nephrosis (590-594)	8		3				1	
Complications of pregnancy and puerperium (640-652; 670-689)								
Congenital malformations (750-759)	2		2		4		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	5		3		1		1	
Pneumonia of newborn (under 4 weeks) (763)	2				1	1		
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	2		1		1	1		
Senility, ill defined and unknown causes (780-795)	2				1	1		
All other diseases (residual)	8		9	2	3		6	
Motor vehicle accidents (810-835)	6		3		5		3	
All other accidents (800-802; 840-965)	9		11	1	3		4	
Suicide and self-inflicted injury (970-979)	4		3		2		2	
Homicide (980-985)					1			

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Pulaski		Putnam		Ralls		Randolph	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	11,000		9,200		8,900		23,400	
LIVE BIRTHS								
Attended by M.D.	294	0	175	0	168	12	422	35
Attended by D.O.	133		39		142	10	281	22
Attended by midwives	160		134		26	2	140	10
Others or unspecified	1						1	3
STILLBIRTHS								
Attended by M.D.	8	0	4	0	0	0	5	0
Attended by D.O.	6		1				3	
Attended by midwives	2		3				2	
Others or unspecified								
TOTAL DEATHS								
Under one year of age	128	1	113	0	111	5	295	21
Neonatal deaths	10		3		6		10	2
Maternal deaths	8		2		5		8	2
							2	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	3						1	
Tuberculosis, other forms (010-019)							2	1
Syphilis, under 1 year (020-029)							1	
Syphilis, age 1 year and over (020-029)					1			
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)					1			
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	1		1				1	
Malignant neoplasms (140-205)	18		19		18		45	1
Benign and unspecified neoplasms (210-239)					1		1	
Diabetes mellitus (260)	2		3		4		8	1
Anemias (290-293)					2		1	
Vascular lesions affecting central nervous system (330-334)	13		18		9	3	34	1
Nommeningococcal meningitis (340)								
Rheumatic fever (400-402)					1			
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	34		31		32	1	85	5
Other diseases of heart (430-434)	4				3		9	
Hypertension with heart disease (440-443)	5		5		7	1	22	1
Hypertension w/o mention of heart (444-447)								
Other diseases of circulatory system (450-468)	2		4				5	
Influenza (480-483)							9	1
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)	1		2		1		3	
Pneumonia, other forms 4 weeks (492-493)	6				1		4	
Bronchitis (500-502)	2				1		3	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	4							
Nephritis and nephrosis (590-594)	3		4		5		3	
Complications of pregnancy and puerperium (640-652; 670-689)							2	
Congenital malformations (750-759)	1		1		4		1	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)					1			
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	6		1		1		6	1
Senility, ill defined and unknown causes (780-795)	2						4	
All other diseases (residual)	5						6	
Motor vehicle accidents (810-835)	8	1	8		2		10	1
All other accidents (800-802; 840-965)	1		7		2		5	
Suicide and self-inflicted injury (970-979)	2		2		2		11	
Homicide (980-985)	1				1		2	

Births, Stillbirths and Specified Causes of Death by Residence - 1951

County Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

County Summary

28

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Sullivan		Tazey		Texas		Vernon	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951	11,400		10,100		19,400		22,900	
LIVE BIRTHS								
Attended by M.D.	202	0	201	0	382	0	329	0
Attended by D.O.	88		170		298		316	
Attended by midwives	112		26		73		11	
Others or unspecified	1		2		5		2	
STILLBIRTHS	4	0	4	0	10	0	5	0
Attended by M.D.					3		4	
Attended by D.O.	4		1				1	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	152	0	82	0	184	0	290	0
Under one year of age	9		3		7		13	
Neonatal deaths	6		2		7		10	
Maternal deaths							1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		4		3		2	
Tuberculosis, other forms (019-019)					1			
Syphilis, under 1 year (026-029)								
Syphilis, age 1 year and over (020-029)					1		3	
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amoebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)							1	
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)							1	
Acute infectious encephalitis (082)								
Measles (085)							1	
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1		1	
Malignant neoplasms (140-205)	23		6		23		31	
Benign and unspecified neoplasms (210-239)	1							
Diabetes mellitus (260)	1		1		3		1	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	24		15		22		50	
Nonmeningoococcal meningitis (340)	1						1	
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	46		15		71		83	
Other diseases of heart (430-434)	5		4				3	
Hypertension with heart disease (440-443)	4		1		13		22	
Hypertension w/o mention of heart (444-447)	1							
Other diseases of circulatory system (450-468)	2		2		2		12	
Influenza (480-483)	1		1				1	
Lobar pneumonia 4 weeks (490)								
Bronchopneumonia 4 weeks (491)	1		3				4	
Pneumonia, other forms 4 weeks (492-493)							2	
Bronchitis (500-502)								
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	
Gastro Enteritis and colitis, 2 years (571.1)								
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	4		1		1		6	
Nephritis and nephrosis (590-594)	6		5		3		4	
Complications of pregnancy and puerperium (640-652; 670-689)							1	
Congenital malformations (750-759)	2				2		1	
Birth injuries, asphyxia, (under 4 weeks.) (760-762)			1		2		3	
Pneumonia of newborn (under 4 weeks) (763)							1	
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	5		1		4		2	
Serility, ill defined and unknown causes (780-795)	5		3		1		2	
All other diseases (residual)	7		7		6		14	
Motor vehicle accidents (810-835)	2		3		2		5	
All other accidents (800-802; 840-865)	6		4		4		13	
Suicide and self-inflicted injury (970-979)	1				5		5	
Homicide (980-985)			1		2		1	

Deaths in the Sixtieths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	Worth		Wright		St. Louis City		
	White	Colored	White	Colored	Total	White	Colored
Total Estimated Population, July 1, 1951	5,200		16,000			861,000	
LIVE BIRTHS							
Attended by M.D.	99	0	317	1	20,900	1,588	5,018
Attended by D.O.	82		202	1	20,640	1,564	4,996
Attended by midwives	17		107		191	191	
Others or unspecified			6		65	46	19
STILLBIRTHS	5	0	8	0	500	293	207
Attended by M.D.	5		3		467	279	188
Attended by D.O.			5		4	4	
Attended by midwives					1		1
Others or unspecified					28	10	18
TOTAL DEATHS	54	0	182	0	10,554	8,357	2,197
Under one year of age	1		20		575	375	200
Neonatal deaths	1		13		407	277	130
Maternal deaths	1		1		12	9	3
CAUSES OF DEATH							
Tuberculosis of respiratory system (001-008)			2		263	165	98
Tuberculosis, other forms (010-019)			28		28	15	13
Syphilis, under 1 year (020-029)					1	1	
Syphilis, age 1 year and over (020-029)					85	51	34
Typhoid fever (040)							
Paratyphoid fever (041)							
Undulant fever (044)							
Bacillary dysentery (045)					2	2	
Amebic dysentery (046)							
Other and unspecified dysentery (047-048)			1				
Scarlet fever and streptococcal sore throat (050-051)							
Diphtheria (055)							
Whooping cough (056)					2	2	
Meningococcal infections (057)							
Tularemia (059)					7	3	4
Tetanus (061)							
Acute poliomyelitis (080)					2	1	1
Acute infectious encephalitis (082)					4	1	3
Measles (085)					3	2	1
Rabies (094)							
Rocky mountain spotted fever (104)							
Typhus and other rickettsial diseases (100-103; 105-108)							
Malaria (110-117)							
Other infectious and parasitic diseases (030-138, exc. above)					24	22	2
Malignant neoplasms (140-205)	5		27		1649	1,368	281
Benign and unspecified neoplasms (210-239)					25	14	11
Diabetes mellitus (260)			3		178	157	21
Anemias (290-293)					20	18	
Vascular lesions affecting central nervous system (330-334)	11		25		1114	863	251
Nonmeningococcal meningitis (340)					13	8	5
Rheumatic fever (400-402)					16	13	3
Chronic rheumatic heart disease (410-416)	2						
Arteriosclerotic and degenerative heart disease (420-422)	18		46		137	101	36
Other diseases of heart (430-434)	1		2		2884	2,555	329
Hypertension with heart disease (440-443)			7		176	105	71
Hypertension w/o mention of heart (444-447)					832	564	268
Other diseases of circulatory system (450-468)	3		4				
Influenza (480-483)			6		106	72	34
Lobar pneumonia 4 weeks (490)					267	216	51
Bronchopneumonia 4 weeks (491)			5		16	13	3
Pneumonia, other forms 4 weeks (492-493)	1		4		136	73	63
Bronchitis (500-502)			2		142	88	54
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					34	26	8
Gastro Enteritis and colitis, 2 years (571.1)							
Cirrhosis of liver (581)					19	19	
Other diseases of digestive system (530-587 excl. above)	2		6		28	11	17
Nephritis and nephrosis (590-594)			6		6	5	1
Complications of pregnancy and puerperium (640-652; 670-689)	1		1		151	127	24
Congenital malformations (750-759)					332	275	57
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		2		194	149	45
Pneumonia of newborn (under 4 weeks) (763)			1		12	9	3
Diarrhea of newborn (under 4 weeks) (764)							
Other infections of newborn (under 4 weeks) (765-769)					112	89	23
Other diseases of early infancy (under 4 weeks) (770-776)			10		129	97	32
Senility, ill defined and unknown causes (780-795)					19	11	8
All other diseases (residual)			3		7	1	8
Motor vehicle accidents (810-835)	2		5		402	329	73
All other accidents (800-802; 840-965)	2		2		196	149	47
Suicide and self-inflicted injury (970-979)	4		4		375	303	71
Homicide (980-985)	1		2		86	79	7
			1		71	21	50

Births, Stillbirths and Specified Causes of Death by Residence - 1951

City Summary

32

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	City of Ferguson		City of Fulton		City of Hannibal		City of Independence	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951								
LIVE BIRTHS	517	2	141	21	370	28	1056	9
Attended by M.D.	501	2	140	19	360	28	936	9
Attended by D.O.	16		1	2	10		118	
Attended by midwives								
Others or unspecified							2	
STILLBIRTHS	7	0	0	0	10	1	15	1
Attended by M.D.	5				10	1	11	
Attended by D.O.		2					4	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	98	1	70	8	253	27	350	17
Under one year of age	10		1		6	1	24	
Neonatal deaths		8			5	1	17	
Maternal deaths							1	
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)		1						5
Tuberculosis, other forms (010-019)								
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1					1
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)		1						
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)					1			
Malignant neoplasms (140-205)	17		10	1	33	4	58	3
Benign and unspecified neoplasms (210-239)								
Diabetes mellitus (260)	2		2		5		3	1
Anemias (290-293)			1		2		1	
Vascular lesions affecting central nervous system (330-334)	6		11	1	33	4	43	2
Nonmeningoococcal meningitis (340)								
Rheumatic fever (400-402)							1	
Chronic rheumatic heart disease (410-416)								
Arteriosclerotic and degenerative heart disease (420-422)	29		27	2	93	6	101	2
Other diseases of heart (430-434)	1		1		2			
Hypertension with heart disease (440-443)	10		2		8	2	18	3
Hypertension w/o mention of heart (444-447)	1		2		2		5	
Other diseases of circulatory system (450-468)	1		3		4		16	
Influenza (480-483)			1					
Lobar pneumonia 4 weeks (490)							2	
Bronchopneumonia 4 weeks (491)	2				1	4	3	
Pneumonia, other forms 4 weeks (492-493)					3	1	6	
Bronchitis (500-502)							1	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)								
Gastro Enteritis and colitis, 2 years (571.1)							1	
Cirrhosis of liver (581)								
Other diseases of digestive system (530-587 excl. above)	2		1	1	6	1	2	1
Nephritis and nephrosis (590-594)			1	1	5		8	
Complications of pregnancy and puerperium (640-652; 670-689)					6		8	
Congenital malformations (750-759)	5					3		8
Birth injuries, asphyxia, (under 4 weeks) (760-762)					1		4	
Pneumonia of newborn (under 4 weeks) (763)								
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	6				2	1	10	
Senility, ill defined and unknown causes (780-795)	3		1		7		5	
All other diseases (residual)	4		3		18		15	
Motor vehicle accidents (810-835)	1		2		2		4	
All other accidents (800-802; 840-965)	4		2		4	2	10	
Suicide and self-inflicted injury (970-979)			1		4		3	
Homicide (980-985)	1						2	

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	City of Jefferson City		City of Jennings		City of Joplin		City of Kansas City	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951								
LIVE BIRTHS	489	24	398	1	830	15	9417	1609
Attended by M.D.	451	22	371	1	726	14	8316	1579
Attended by D.O.	38	1	25		104	1	1100	24
Attended by midwives			2				1	6
Others or unspecified	8	0	8	0	16	0	135	35
STILLBIRTHS	7	0	8	0	10	0	116	35
Attended by M.D.	7	0	8	0	6		18	
Attended by D.O.	1							
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	198	15	125	0	494	13	4519	915
Under one year of age	14		9		28		262	63
Neonatal deaths	12		8		18		202	48
Maternal deaths							4	6
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2		1		20		70	45
Tuberculosis, other forms (010-019)	1						3	7
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)			1		5		28	17
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)					1			
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)							2	1
Whooping cough (056)								
Meningococcal infections (057)			1		1		1	1
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)			1				11	
Acute infectious encephalitis (082)								
Measles (085)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1		1		12	
Malignant neoplasms (140-205)	20	4	20		72	3	714	104
Benign and unspecified neoplasma (210-239)			1		1		12	6
Diabetes mellitus (260)	2				6	1	57	19
Anemias (290-293)	1				2	1	11	3
Vascular lesions affecting central nervous system (330-334)	19	3	10		55	3	531	60
Nonmeningococcal meningitis (340)			1				2	
Rheumatic fever (400-402)							6	2
Chronic rheumatic heart disease (410-416)	1		3		9		70	18
Arteriosclerotic and degenerative heart disease (420-422)	71	3	38		137	3	1262	114
Other diseases of heart (430-434)	2				6		60	15
Hypertension with heart disease (440-443)	16	3	7		24		187	113
Hypertension w/o mention of heart (444-447)	4		1		4		46	29
Other diseases of circulatory system (450-468)	5	1	2		13	1	129	22
Influenza (480-483)							7	4
Lobar pneumonia 4 weeks (490)	2		1		6		48	14
Bronchopneumonia 4 weeks (491)					4		84	27
Pneumonia, other forms 4 weeks (492-493)	1				1		14	1
Bronchitis (500-502)							4	1
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1				1		3	
Gastro Enteritis and colitis, 2 years (571.1)					1		1	1
Cirrhosis of liver (581)	4				6		73	11
Other diseases of digestive system (530-587 excl. above)	5		7		19		109	32
Nephritis and nephrosis (590-594)	4		4		10		82	24
Complications of pregnancy and puerperium (640-652; 670-689)							4	6
Congenital malformations (750-759)	2		2		8		73	8
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4		3		8		80	20
Pneumonia of newborn (under 4 weeks) (763)							9	11
Diarrhea of newborn (under 4 weeks) (764)							2	
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	6		4		6		68	14
Senility, ill defined and unknown causes (780-795)	1		4		5		116	20
All other diseases (residual)	7		1		22		184	68
Motor vehicle accidents (810-835)	2		5		13		103	14
All other accidents (800-802; 840-965)	9		5		22		179	36
Suicide and self-inflicted injury (970-979)	4		1		1		42	11
Homicide (980-985)			1				18	36

City Summary

34

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Births, Stillbirths and Specified Causes of Death by Residence - 1951

City Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1951

	City of St. Charles		City of St. Joseph		City of Sedalia		City of Elkhorn	
	White	Colored	White	Colored	White	Colored	White	Colored
Total Estimated Population, July 1, 1951								
LIVE BIRTHS	417	8	1435	67	360	40	252	59
Attended by M.D.	413	8	1279	66	296	40	229	12
Attended by D.O.	4		153	1	64		18	
Attended by midwives			2				4	
Others or unspecified			1				1	
STILLBIRTHS	5	0	29	0	8	2	1	1
Attended by M.D.	5		25		5	2		
Attended by D.O.			4		3		1	
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	150	1	882	44	255	42	78	21
Under one year of age	11		45	2	17	1	13	5
Neonatal deaths	8		32	1	13	1	9	3
Maternal deaths			1					
CAUSES OF DEATH								
Tuberculosis of respiratory system (000-008)			7	2	5		3	
Tuberculosis, other forms (010-019)			1					
Syphilis, under 1 year (020-029)								1
Syphilis, age 1 year and over (020-029)			8	3		3		
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)							1	
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)			2					
Acute infectious encephalitis (082)								
Measles (085)			1		1			
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)			1					
Malignant neoplasms (140-205)	12	1	141	5	40	7	8	
Benign and unspecified neoplasma (210-239)			1					
Diabetes mellitus (260)	2		11		4			
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	10		126	5	26	4	9	1
Nonmeningococcal meningitis (340)			1					
Rheumatic fever (400-402)			1					
Chronic rheumatic heart disease (410-416)	1		12	5	1			
Arteriosclerotic and degenerative heart disease (420-422)	66		279	6	83	13	17	5
Other diseases of heart (430-434)			10	1	2			
Hypertension with heart disease (440-443)	13		37	3	21	3	5	2
Hypertension w/o mention of heart (444-447)	4		9		3		1	
Other diseases of circulatory system (450-468)	6		22	1	7		3	
Influenza (480-483)			2		5		2	
Lobar pneumonia 4 weeks (490)	1		7	1	2		1	2
Bronchopneumonia 4 weeks (491)	1		17	1	2		1	
Pneumonia, other forms 4 weeks (492-493)	1		3		2	1	3	1
Bronchitis (500-502)					1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571,0)	1							
Gastro Enteritis and colitis, 2 years (571,1)								
Cirrhosis of liver (581)	1		9		1	1	2	
Other diseases of digestive system (530-587 excl. above)	5		20	3	1	4	1	
Nephritis and nephrosis (590-594)	1		11	1	3	2	1	
Complications of pregnancy and puerperium (640-652; 670-689)			1		1			
Congenital malformations (750-759)	3		12		2		4	1
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	1		14		8		4	
Pneumonia of newborn (under 4 weeks) (763)			3	1				
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-769)								
Other diseases of early infancy (under 4 weeks) (770-776)	5		10		2		4	1
Senility, ill defined and unknown causes (780-795)								
All other diseases (residual)	1		3		1	1	1	1
Motor vehicle accidents (810-835)	8		35	3	9	3	4	
All other accidents (800-802; 840-965)	2		34	3	9		2	
Suicide and self-inflicted injury (970-979)	1		12	1	3		2	1
Homicide (980-985)			3		1			

City Summary

Births, Stillbirths and Specified Causes of Death by Residence - 1951

Total Estimated Population, July 1, 1951

	City of Springfield		City of University City		City of Webster Groves		White	Colored
	White	Colored	White	Colored	White	Colored		
LIVE BIRTHS								
Attended by M.D.	1530	35	890	0	579	76		
Attended by D.O.	1475	35	887		577	76		
Attended by midwives		54	3		2			
Others or unspecified								
STILLBIRTHS								
Attended by M.D.		1						
Attended by D.O.		28	2	9	0	9	1	
Attended by midwives		26	2	9	9	1		
Others or unspecified		2						
TOTAL DEATHS								
Under one year of age	678	27	429	1	207	18		
Neonatal deaths	38	2	16		7	1		
Maternal deaths	31		15		5			
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	8	2	2			1		
Tuberculosis, other forms (010-019)		1						
Syphilis, under 1 year (020-029)			1					
Syphilis, age 1 year and over (020-029)			3					
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)					1			
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)								
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)		2						
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)	2							
Measles (085)	1							
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)						1		
Other infectious and parasitic diseases (030-138, exc. above)	2							
Malignant neoplasms (140-205)	100		86		31	1		
Benign and unspecified neoplasms (210-239)	2		1		2			
Diabetes mellitus (260)	7		5		3			
Anemias (290-293)	2		3		1			
Vascular lesions affecting central nervous system (330-334)	76	9	53		25	3		
Nonmeningococcal meningitis (340)					1			
Rheumatic fever (400-402)	1							
Chronic rheumatic heart disease (410-416)	6	1	15		3			
Arteriosclerotic and degenerative heart disease (420-422)	211	3	125		76	2		
Other diseases of heart (430-434)	7	2	1		2			
Hypertension with heart disease (440-443)	48	1	22		14	4		
Hypertension w/o mention of heart (444-447)	10		9		1			
Other diseases of circulatory system (450-468)	33	1	7	1	6	1		
Influenza (480-483)								
Lobar pneumonia 4 weeks (490)	4					1		
Bronchopneumonia 4 weeks (491)	13	1	2		3	1		
Pneumonia, other forms 4 weeks (492-493)	4	1						
Bronchitis (500-502)	1		1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)	2							
Cirrhosis of liver (581)	3		6		2			
Other diseases of digestive system (530-587 excl. above)	13	1	15		5			
Nephritis and nephrosis (590-594)	7		10		3			
Complications of pregnancy and puerperium (640-652; 670-689)	1							
Congenital malformations (750-759)	10		3					
Birth injuries, asphyxia, (under 4 weeks.) (760-762)	11		4		3			
Pneumonia of newborn (under 4 weeks) (763)	3							
Diarrhea of newborn (under 4 weeks) (764)	1							
Other infections of newborn (under 4 weeks) (765-769)	1							
Other diseases of early infancy (under 4 weeks) (770-776)	7		6		2			
Senility, ill defined and unknown causes (780-795)	2		12		4	1		
All other diseases (residual)	19	3	13		7	3		
Motor vehicle accidents (810-835)	24		4		1			
All other accidents (800-802; 840-965)	20		11		6			
Suicide and self-inflicted injury (970-979)	8	1	8		1			
Homicide (980-985)	3	1	1					